CIVILIAN PRODUCTS

HECKLER & KOCH

A DOS VPS

Innill

KOUTERS

VP9 9 MM X 19

In development for more than four years, the VP9 is Heckler & Koch's latest handgun and the first striker-fired HK since the renowned P7 series pistols were introduced in the 1980s.

Experience gained by HK engineers with the recent P30 pistol had a direct influence on the design of the VP9, but the VP9 breaks new ground with its integration of a unique striker firing system with an enhanced HK "light pull" trigger. The net result is trigger quality unequaled in any production striker fired handgun.

HK pioneered the first striker fired handguns, producing both the VP70 and P7 series, designs that impacted several models by HK competitors. But a superior trigger has eluded most striker fired pistol designs.

The VP9 trigger surpasses those found on competitors. It has a short, light take-up with a solid, single action type break followed by a short positive reset.

The VP9 trigger has a consistent pre-travel pull with a positive wall/crisp break. Typically, striker fired guns have a pre-travel pull that increases in weight as you go through the trigger stroke. With the VP9, you have a less than noticeable pre-travel pull until the trigger reaches the engagement point of the fire control parts prior to trigger break.

The VP9 uses HK's ergonomic handgun grip design that includes three changeable backstraps and six side panels – accommodating all hand sizes. Molded finger grooves in the front of the pistol's grip also instinctively position an operator's hand for optimal shooting. Only HK handguns have such a customized grip.

Although influenced by other HK models, the VP9 has all the hallmarks of the latest, state-of-the-art handgun. All controls are completely ambidextrous. Slide releases are present on both sides of the frame and the magazine release can be easily activated by left- or right-handed shooters.

A new feature is HK's patented charging supports — simple components that are mounted on each side of the rear of the slide and provide better gripping leverage for racking the slide rearward. The charging supports speed reloading and make operating the VP9 easier for shooters with reduced hand strength. The VP pistols uses the proven P30 steel magazine; 15 and 10-round capacity available.

The VP9 has an extended Picatinny MIL-STD-1913 rail molded into its polymer frame for mounting lights and accessories. The rail has been tested and certified to handle mounted accessories up to 5.6 ounces.

The VP9's proprietary captive flat recoil spring helps reduce the recoil forces effecting the operator and the handgun, improving shooter control during rapid firing and prolonging component service life.

HK's famous cold hammer forged barrel — made from cannon grade steel — ensures long service life. Similar HK barrels on 9 mm P30 models have fired more than 90,000 rounds in endurance tests in 2010. The polygonal bore profile, with no traditional lands-and-grooves rifling, contributes to longer service life as well as a slight increase in muzzle velocity

The VP9's machined steel slide is protected from corrosion and wear by HK's hostile environment finish and all metal components, including springs and pins have superior metallurgy.

VP pistols are made in Heckler & Koch's Oberndorf factory in southwest Germany. The VP9 is well-suited for law enforcement, military, and civilian users.

The HK VP9 is a solid design engineered with the famous long-term durability that make HK products especially cost-effective when subjected to total life cycle cost analysis. And the VP9 is remarkably value priced.



serves as a cocking indicator.

the trigger doesn't need to be pulled to remove the slide.

PISTOLS

- VP9 pistol (LE Configuration) with three 15 round magazines and tritium sights 700009LE-A5 UPC 642230250888
- a 5.6 ounces / 160 grams load for accessory light, lasers, and aimers with no impact on performance.

maintenance design, the VP9 has a service life of many tens of thousands of rounds.

P30 9 MM X 19 / .40 S&W

Recent HK pistol designs, the P30 and P30L (Long Slide) are modern police and security pistols that combine function and safety. Ergonomic features include a special frame with interchangeable backstraps and lateral grip panels, allowing the pistol to be individually adapted to any user. Multiple trigger firing modes include HK's enhanced double action only "Law Enforcement Modification (LEM)" as well as conventional double action/single action with a serrated decocking button located on the rear of the frame. Other ambidextrous controls include dual slide and magazine release levers. All P30 pistols feature an automatic hammer safety and firing pin safety.

A Picatinny rail molded into the front of the frame makes mounting lights, laser aimers, or other accessories easy and convenient. Extensively tested, the P30 Series have already been adopted by several police agencies in Europe and North America. During an independent torture test in 2010, one randomly selected P30 fired more than 90,000 rounds. Excellent weight and balance make all the P30 series pistols naturally pointable, easy to control, and accurate to shoot. The P30 and P30L are both available in 9 mm and .40 S&W, "S models" (P30S and P30LS) have ambidextrous safeties.

P30: Models in caliber 9 mm x 19 or .40 S&W with short slide/ barrel and no external safety. Currently available in following variant and trigger systems: V1 "Light" LEM (Law Enforcement Modification - light trigger pull), V3 DA/SA (Double Action/Single Action)



,-----, P30L: Model in caliber 9 mm x 19 or .40 S&W with lengthened slide/barrel. Available in following variants and trigger systems: V1 "Light" LEM (Law Enforcement Modification - light trigger pull), V2 LEM (Law Enforcement Modification), and V3 DA/SA



P30S: Models in caliber 9 mm x 19 or .40 S&W with short slide/barrel and ambidextrous external safety levers. Available in following variant/trigger system: V3 DA/SA (Double Action/ Single Action).



P30LS: Models in caliber 9 mm x 19 or .40 S&W with lengthened slide/barrel and ambidextrous external safety levers. Available in following variant/trigger system: V3 DA/SA (Double Action/Single Action).



Cold-hammered barrel ensures long service life and outstanding shooting accuracy. Polygonal bore profile for increased velocity, easier cleaning, and longer barrel life.

Large recurved trigger

when wearing gloves.

guard allows shooting

ARRANT

P30

LEM

All HK pistol slides are made from highstrength steel with carbon-nitride "hostile environment" finish.

Ambidextrous magazine

release is easily operated

using your thumb or index

finger without changing the

grip position.

Law Enforcement Modification (LEM) enhanced double action only model has spurless hammer, its V1 "light" LEM trigger pull is approximately 5.4 pounds.



P30

P30L

MIL-STD-1913 "Picatinny" rail for easy installation of weapon lights, lasers, and other accessories



| Trigger syst |
|--------------|
| LEM |
| LEM |
| DA/SA |
| |

TESTED ENDURANCE One randomly picked P30 9 mm sample fired 91,322 rounds in a 2010 reliability trial conducted by the indepedent firearms consultancy "pistol-training. com."

NOTE: Law enforcement & government models of all HK pistols include tritium night sights, three magazines and are available to civilian shooters.



P30 series pistols use metal

magazine for optimal reliable

feeding. Capacity: 9 mm = 15

rounds, .40 S&W = 13 rounds.

10 round magazines available

for both calibers.

PISTOLS



P30SK (SUBCOMPACT) 9 MM X 19



The subcompact model of the renowned P30 handgun, P30SK (SubKompact) series has all of the sought-after characteristics of the larger frame P30 and P30L pistols but in a more concealable design.

The completely adjustable P₃o grip feature – consisting of interchangeable backstraps and lateral grip panels - is replicated in the ultra-compact grip frame of the P₃oSK. This allows the pistol to be easily modified to fit to any individual user. dual ambidextrous manual safeties located on the left and right And like its larger frame counterparts, the P30SK is available

in multiple trigger firing modes including HK's enhanced double action only "Law Enforcement Modification (LEM)." For the P3oSK, the LEM trigger is configured with a "light strike V1" setup requiring approximately 5.4 pounds-force to pull the trigger.

Other trigger modes include conventional double action/single action (DA/SA) with a serrated decocking button located on the rear of the frame. The DA/SA mode is available with and without side of the frame. Other ambidextrous controls include dual slide

and magazine release levers. Like all P30 pistols, the P30SK features an automatic hammer safety and firing pin safety.

An abbreviated Picatinny rail molded into the front of the frame enables weapon lights, laser aimers, or other accessories to be easily mounted. All P30SK models have been extensively tested during a three year development process.

Despite their small size, P30SK subcompacts have excellent weight and balance making them naturally pointable, easy to control, and accurate to shoot; currently available in 9 mm.





PISTOLS

HK45 & HK45 COMPACT .45 ACP

The HK45 Series is one of Heckler & Koch's most up-to-date pistol lines and is available as both a full-size and compact model. The HK45 and HK45 Compact were developed as product improvements of the highly-regarded and ultra-reliable HK USP45 and USP45 Compact family of pistols that were introduced in the 1990s.

Many user-inspired enhancements found on the HK45 and HK45 Compact are also present on several recent Heckler & Koch semiautomatic pistols, including the P30, P30L, P30SK, P2000, and P2000 SK. These features include changeable backstraps, improved DAO mode uses the unique Heckler & Koch LEM (Law Enforcement Picatinny MIL-STD-1913 accessory rails, better ergonomics, and more Modification) firing system for an enhanced and improved double ambidextrous controls.

The HK45 and HK45 Compact were originally developed as candidates for the Joint Combat Pistol (JCP) and Combat Pistol (CP) programs administered by the U.S. military in their search for a new service handgun.

Well-suited for personal defense use, the HK45 and HK45C (Compact) are available in, or can be converted to, a wide variety of variants that use different trigger firing modes, including DA/SA (double action/single action) and DAO (double action only). The action trigger pull.

By using the modular approach to the internal components first pioneered by HK on the USP, the control lever function of the HK45 can be switched from the left to the right side of the pistol to accommodate left-handed shooters (additional parts required). Left and right mounted control levers provide safety and/or decocking functions as required and can be fitted to the pistol simply by changing parts. For true ambidextrous use, a control lever can also be mounted on both sides of the pistol if required.

Extensively tested and operationally proven, the HK45 Series is a new paradigm for Heckler & Koch handgun design and manufacturing.

Special HK Hostile Environment finish, Enlarged, heavy-duty extractor for reliability a polymer coated Tenifer treatment HK45, HK45 Tactical, HK45 Compact, and HK45 Compact Tactical models are assembled in the USA from German and American made components. Polygonal bore for increased velocity, easier cleaning, and HKU-003333 An improved USP-style control lever, a longer barrel life combination safety and decocking lever, is Contoured and radiused machined steel slide frame mounted and quickly accessible. The with forward slide grooves (front cocking HK45 control lever has a positive stop and serrations) and anti-glare longitudinal ribs (top) returns to the "fire" position after decocking. HK three dot sights MIL-SPEC 1913 Changeable Picatinny rail for backstrap installing lights and other accessories HK45 LEM Ambidextrous controls include enlarged magazine release and dual slide releases. ARRANT Large trigger guard allows shooting when wearing gloves HK45 The full-size frame model 10 round steel magazine of the HK45 features with protective polymer an ergonomic grip with MODULAR BACKSTRAPS O-RING FOR ACCURACY PICATINNY RAIL FOR ACCESSORIES floorplate All HK45 series models have proprietary O-ring finger contours molded Integral MIL-STD-1913 (Picatinny) rail molded Each HK45 comes standard with an extra barrels for precise barrel-to-slide lockup and backstrap; medium and small interchangeable into the polymer frame dust cover for mounting into the frame. optimal accuracy. All HK45models have barrels backstraps ensure an optimal fit for most lights, laser aimers, and other accessories. HK45 made using the famous HK cold-hammer forging shown with SureFire weaponlight. shooter's hands and complement the ergonomic profile grip. process.

action (with manual safe & decocking), enhanced double decock only 🔶



pistols come with . two interchangeable backstraps (small and



PISTOLS





PISTOLS



Special colored frame/colored slide variants of the HK45 Compact complete the HK45 product line. Like the full size HK45, the HK45 Compact is one of Heckler & Koch's most contemporary pistols designs and was developed as a product improvement of the highly regarded and ultra reliable HK USP45 Compact first introduced in the 1990s.

The HK45 Compact was also one of the pistols developed to be a candidate for the Joint Combat Pistol (JCP) and Combat Pistol (CP) programs administered by the U.S. military in their search for a new service handgun

In addition to the normal features found on the HK45 Compact, the colored frame /colored slide models have an attractive and durable Cerakote slide coating that is color matched to the polymer frame.

Cerakote ceramic firearms coatings outperform other coatings and have been extensively tested by independent labs and the U.S. Military.

Aside from corrosion protection, the HK Cerakote slide coating is abrasion resistant. HK metal parts that are not color coated, remain in an attractive contrasting black finish, protected by HK's proprietary "Hostile Enforcement" protective surface covering.

Well-suited for personal defense use and a wide variety of security and civilian/commercial applications, these colored frame /colored slide models are available in, or can be converted to, a wide variety of HK's different trigger firing modes.

Small and powerful— and covered by Heckler & Koch's limited lifetime warranty for commercial/civilian customers, the HK45 Compact (colored frame/slide) is engineered with the famous long-term durability that make HK products especially cost-effective when subjected to total life cycle cost analysis.

P2000 & P2000 SK 9 MM X 19 / .40 S&W

Building on the foundation of the Heckler & Koch USP handgun line, the P2000 and P2000 SK (Subcompact) incorporate features of the successful HK USP Compact pistol with more recent innovations of HK engineers.

A refinement of a design created for several European police agencies, the P2000 and P2000 SK are available with a traditional double-action/single-action trigger mode and the LEM (Law Enforcement Modification) trigger system first introduced by HK in 2001 on the USP Compact "LEM" model.

The Law Enforcement Modification trigger system combines the advantages of a cocked striker component (constant level of trigger pull from first to last round fired) with a double-action hammer system.

Using such an enhanced trigger system consolidates ease of use and safety into a convenient, innovative trigger operation—one that reduces the chance of unintended firing.

And in case of an ammunition-related failure to fire, all that is needed is an additional second or third squeeze of the trigger without the need of first pulling the slide back to recock the pistol.

The enhanced Law Enforcement Modification trigger system combines the reliability of a double action revolver trigger with the crisp trigger of a single action pistol.

On variants using the conventional double-action/ single-action (DA/SA) mode of operation, an easy to access, ambidextrous decocking button is mounted on the left, rear portion of the frame.

It allows the shooter to safely lower the hammer from the cocked single-action position to the uncocked double-action position. The DA/SA variants of the P2000 and P2000 SK are readily identifiable by the presence of the serrated decocking button and spurred hammer.

A set of simple-to-install modular grip inserts allow all P2000/P2000 SK models to be custom-fitted to any shooter's hand.

An ambidextrous magazine release and dual slide release levers make handling P2000 Series pistols natural and easy for right and left-handed shooters alike. The addition of "industry standard" mounting rails to the P2000 and P2000 SK allows the widest variety of lights, aimers, and accessories to be added by sliding them onto the open rail system. The P2000 uses widely available, reliable USP Compact metal magazines. The same magazines fit the P2000 SK for added firepower. Available in .40 S&W and 9 mm.

Polygonal bore profile for increased velocity and easier cleaning. Cold-hammered barrel ensures long service life and outstanding shooting accuracy. Caliber .40 S&W model can be converted to .357 with guick and easy barrel replacement.

Industry standard mounting

accessories to be installed

(see inset photo below)

rails allows a wide selection of

P2000

LEM

LAW ENFORCEMENT MODIFICATION

Developed especially for a U.S. government agency, the

Law Enforcement Modification (or LEM for short), is a unique

trigger mechanism created specifically to improve the trigger performance and reduce the weight of the Double-Action

Only (DAO) trigger pull in the P2000, P2000SK, P30, P30L,

pistols. With this mechanism, HK pistols can be fired like

a standard DAO semi-automatic pistol where every round

is fired by simply pulling the trigger fully rearward with the

hammer starting at the forward rest position. The design of

the proprietary HK LEM system allows the weight of the DAO

trigger pull to be reduced to a smooth and constant 7.5-8.5

"lighter" LEM trigger is available on some HK pistol models.

pounds (standard LEM) because the two-part hammer is

precocked every time the slide moves rearward. An even

P30SK, USP, USP Compact, and HK45/HK45 Compact

(LEM) TRIGGER SYSTEM

Low profile slide and slimline, Ambidextrous slide compact dimensions release (located on both

sides of the frame)

Lock-Out Safety Extended floorplate has a finger hook. The P2000 uses the same

Patented HK

device

metal magazines as USP Compact. Magazine capacity:

.40 S&W = 12 rounds 9 mm = 13 rounds(10 round magazines also available)

Tactical light Example of P2000 with mounted tactical light. Available as an accessory.

Modular grip panels options

medium (standard), and small

include extra large, large,

to fit all sizes of hands

Law Enorcement Modification

(LEM) model has bobbed,

spurless hammer

GRIP PANELS

Exchangeable grip panels (back straps) accommodate a wide variety of hand sizes and shooting grips.

Trigger pull on LEM models

is 7.3-8.5 pounds. Trigger

pull can be adjusted by


an HK armorer to the 5.5

pound range (light LEM).

Amhidextrous

lever

magazine release



DA/SA models of the P2000 and P2000 SK have spurred hammers and serated decocking buttons.



HK PISTOLS PASS THE TOUGHEST TEST

The P2000, P2000 SK, and the USP Compact LEM were subjected to the most punishing pistol evaluation to date by the Department of Homeland Security's Immigration and Customs Enforcement branch. The evaluation was performed with the most potent ammunition loads for three calibers (9 mm, .40 S&W and .357 SIG). After three million rounds were fired, HK finished ahead of five other competing manufacturers, earning a "Superior" technical rating. On August 20, 2004. HK was awarded the largest pistol contract in U.S. law enforcement history. Five months later, US Customs and Border Protection (CBP), the largest U.S. federal law enforcement agency, officially adopted the P2000 pistol in .40 S&W, replacing both legacy Glock 17s and Beretta 96Ds.

PISTOLS

Large, robust extractor doubles as a loaded chamber indicator

Uses three dots sights first originated by Heckler & Koch on P7pistols and now the industry standard. These robust sights are drift adjustable for windage; for elevation adjustable various height sight blades can be inserted.

No snag, bobbed hammer for effective concealment 🛏

"Variant 2" LEM (Law Enforcement Modification) enhanced double •--action trigger pull of 7.3 pounds. Also available in conventional double action/single action trigger mode with decocking button located on the back of the slide.

> Exchangeable backstraps; -P2000 SK comes with medium and large sizes

All P2000 and P2000 SK pistols have the HK patented Lock-Out Safety Device installed.

> Together with the P30SK, the P2000SK are HK's smallest pistols. Available in full power .40 S&W and 9 mm x 19 chamberings, shown above with flat floorplate for optimal concealment.

HK paddle-style ambidextrous slide release levers

P2000 has recurved trigger guard for grip support, P2000 SK has tappered trigger guard for maximum concealability.

P2000 DA/SA

Choice of conventional DA/SA or LEM trigger mode on the P2000 and P2000 SK. Double action/single action variant of the P2000 and P2000 SK is readily identifiable by the presence of the serrated button and spurred hammer (left pistol, below), LEM (enhanced DAO) model appears on the right.

ARRANT



Three dot sights are standard on P2000 and P2000 SK models. Three dot sights were originally developed by HK in the 1970s and have proven their utility for quick target acquisition. Optional tritium sights are also available.

P2000 SK can also use high capacity USP Compact magazines (shown with accessory "X-Grip" magazine sleeve).

2000 S

An abbreviated pair of industry standard mounting rails allow lights, aimers, and other accessories to be installed by sliding them onto the open rail system.

P2000 SK

Metal magazine with extended rubber-padded floorplate. P2000 SK • magazine capacities: .40 S&W and .357 (9-rounds), 9 mm (10-rounds)

Ambidextrous slide

release levers

USP & USP COMPACT 9 MM X 19/.40 S&W/.45 ACP

The HK USP (Universal Self-loading Pistol) was the first Heckler & Koch pistol designed especially for American shooters. Features favored by the U.S. military, law enforcement agencies, and civilian users provided the design criteria for the USP. Its controls are uniquely American, influenced by such famous designs as the Model 1911 pistol.

The control lever, a combination safety and/or decocking lever, is frame mounted and quickly accessible, unlike the slide mounted safeties common on many semi-automatic pistols. Using a modified Browning-type action with a special patented recoil reduction system, the USP is built to take the punishment of the most powerful SAAMI specification loads. The recoil reduction system lessens recoil effects on pistol components and also lowers the recoil forces felt by the shooter. The USP recoil reduction system is insensitive to ammunition types and requires no special adjustment or maintenance. It functions effectively in all USP models.

By using a modular approach to the internal components, the control lever function of the USP can be switched from the left to the right side of the pistol for left-handed shooters. The USP can also be converted from one type of trigger firing mode to a variety of others. This includes combination double-action and single-action (DA/SA) modes with a manual safety and decocking function, double action only (DAO) modes, including the HK proprietary LEM (Law Enforcement Modification) enhanced trigger system, and even double action/single action modes with no manual safety, as well as single action modes. Such a modular system allows individual tailoring of safety and trigger mechanisms to suit any requirement and any shooter.

The USP is available in both full-size frame and compact models with nine trigger/ firing mode configurations and three major calibers—.45 ACP, .40 S&W, and 9 mm. The first HK pistols covered by Heckler & Koch's Lifetime Warranty, USP and USP Compacts are truly universal pistols - simple to operate, easy to maintain, extremely reliable, and accurate.

Developed in parallel with the USP in the early 1990s, the HK Mark 23 was originally designed for the U.S. military's Special Operations Command. It has the unique distinction of being the only .45 ACP pistol to enter American military service since the venerable Model 1911A1.

SP9 ΤΔΩΤΙΩΔΙ

USP45 TACTICAI

Specialized models of the USP include threaded barrel

suppressor, match grade sights with elevation and windage adjustment, match

grade triggers, and O-ring barrels. Accessory magazine jet funnels are also available

for 9 mm and .40 S&W (shown on USP Expert) USP Tacticals and USP Expert models.

tactical variants and a long slide EXPERT model for

SPECIALIZED USP MODELS


Major metal components on the USP and USP Compact are protected from wear and corrosion by HK's special carbonitride Slide machined from high-strength carbonitrided steel. Hostile Environment (HE) finish

> ovatiove HK-propietary recoil systems developed and employed in the USP, USP Compact, and Mark 23 pistols.

> > LS AND

HK originated three dot sights

9 MM




A USP model was chosen by the Bundeswehr (Geman Army) as their P8 service pistol. The P8 variant uses a distinct safety and decocking arrangement and is currently not available in the USA.



The control lever has a positive stop and automatically returns to the "fire" position after decocking. The control lever, featured on many variants of the USP and USP Compact, allows these pistols to be safely carried "cocked and locked."



HK proprietary mounting rails allow lights and aimers to be installed on the USP and USP Compact. An industry standard or Picatinny rail adaptor can also be installed to enable a larger selection of



USP45 (.45 ACP) is slightly larger and heavier than .40 S&W •--and 9 mm USP models.

Cold-hammered • barrel with polygonal profile. Guarantees long service life and outstanding shooting accuracy.

adaptor also available.



PISTOLS

Extractor provides a visual indication of whether there is a round in the chamber.



The grip size is also suitable for shooters with small or medium-sized hands.

AD and

Comparative size of USP Compact and full-size frame USP (grayed image)

A threaded HK polygonal barrel increases muzzle velocity and service life, while reducing bore fouling, and eases cleaning. An O-ring ensures optimal slide-to-barrel lockup for superior accuracy.

One-piece machined steel slide protected by HK's proprietary Hostile Environment coating that prevents surface corrosion.

The frame mounted Mark 23 decocking lever is separate from the ambidextrous safety lever and allows the hammer to be lowered quietly and safely from the single action position.

Molded into the frame are special accessory grooves for attaching a light or laser aimer.

The USP-type mechanical recoil reduction system reduces recoil forces to the shooter and pistol components by as much as 30%



MARK 23 .45 ACP

uring U.S. military testing, Mark 23 pistols net the most stringent operational and ccuracy requirements ever demanded f a combat handgun. Endurance testing nonstrated a service life of over 30,000 unds of +P ammunition.

USP/USP COMPACT TRIGGER FIRING MODE AND SAFETY SYSTEMS CHARACTERISTICS (ALSO HK45 & HK45 COMPACT)

| Variants ¦ | Trigger system ¹ | Trigger pull (Po | und-Force/Newtons) | Trigger trave | l (mm approx.) | Control Lever/Safety ⁴ | | | |
|------------|-----------------------------|------------------|---------------------|-----------------|-----------------|-----------------------------------|--|--|--|
| | | SA | DA | SA ² | DA ³ | | | | |
| V1 | DA/SA | 4.5/20 | 11.2/50 | 7 | 14 | S, D (L) | | | |
| V2 | DA/SA | 4.5/20 | 11.2/50 | 7 | 14 | S, D (R) | | | |
| V3 | DA/SA | 4.5/20 | 11.2/50 | 7 | 14 | D (L) | | | |
| V4 | DA/SA | 4.5/20 | 11.2/50 | 7 | 14 | D (R) | | | |
| V5 | DAO | - | 11.2/50 | - | 14 | S (L) | | | |
| V6 | DAO | = | 11.2/50 | - | 14 | S (R) | | | |
| V7 | LEM (enhanced DAO) | - | 8 / 36 | - | 14 | - | | | |
| V9 | DA/SA | 4.5/20 | 11.2/50 | 7 | 14 | S (L) | | | |
| V10 | DA/SA | 4.5/20 | 11.2/50 | 7 | 14 | S (R) | | | |

¹ DA = Double Action, SA = Single Action, DAO = Double Action Only / ² Single Action / ³ Double Action / ⁴ S = Safety, D = Decocking, (L) = Located on left, (R) = Located on right NOTE: Variant 8 is a U.S. government test variant and is essentially the same as V7.

HK proprietary mounting grooves allow a variety of accessories to be mounted to the pistol. Accessory



Ambidextrous magazine release can be operated using your thumb or index finger without changing the grip position.

> Choice of flat or extended floorplate magazines

MR762A1 7.62 MM X 51 NATO

Like its 5.56 mm counterpart, the MR762A1 is a direct descendant of the HK416/417 series, only in a semi-automatic rifle configuration developed for civilian users.

Using the HK-proprietary operating system, the MR762A1 is gas process uses the highest quality steel, producing a barrel operated and uses a piston and a solid operating "pusher" rod in place of the common gas tube normally employed in AR15/M16/ M₄-style weapons.

Pioneered by Heckler & Koch in the G₃6, HK₄16, and HK₄17; this method virtually eliminates malfunctions common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. The MR762A1 stays cleaner, reducing heat transfer to the bolt and bolt carrier, and drastically reducing wear and tear on other critical components. The service

life of all parts is increased substantially.

The MR762A1 uses a barrel produced by Heckler & Koch's famous cold hammer forging process. This manufacturing that ensures superior accuracy, even after firing thousands of rounds. The MR762A1 is produced at Heckler & Koch's American manufacturing facilities from both American and German-made components.

The MR₇62A1 uses many of the assemblies and accessories originally developed for the HK416/417 series including adjustable buttstocks, ergonomic pistol grips, mechanical sights, including law enforcement tactical, police patrol, and general and the HK free-floating four-quadrant rail system handguard. This MIL-STD-1913 "Picatinny" type rail system allows all current

accessories, sights, lights, and aimers used on M4/M16-type weapons to be fitted to the MR series. The HK rail system can be removed without special tools by the user and ensures 100% return to zero when reinstalled.

Ambidextrous operating controls are standard on the MR₇62A₁, including a convertible charging handle and an ambidextrous selector lever. The MR762A1 uses the same 10- and 20-round translucent polymer box magazines made for the HK417; a 5-round magazine is also under development.

MR762A1 rifles are well-suited for a variety of applications sport shooting. For hunting use, low capacity magazines are available.

MADE IN





SEMI-AUTOMATIC RIFLES & CARBINES MR762A1 LRP II (LONG RIFLE PACKAGE II) 7.62 MM X 51 NATO _____ New 14.7 inch Modular Rail G28 buttstock with Leupold 3-9x 40 mm System (MRS) is lightweight and Accessory Picatinny rail adjustable cheek rest, butt VX-R Patrol scope and • segment installed a keyhole ergonomic—more comfortable for pad, and length of pull. mount/base (also attachment system the shooter's support hand. available without scope and mount/base) Heavy duty G28 receiver extensior Integrated quick and castle nut detachable sling attachment points MR762A1 LaRue/Harris Tactical BRM-S bipod recognized as one New coyote tan/FDE of the industry's best. Same bipod is used on the M27 pistol grip with storage -IAR that HK supplies to the U.S. Marine Corps. compartment The LPR includes a 20- and 10-round magazine — the same rugged magazines used on HK's current series of military and law enforcment 7.62 mm rifles and carbines NARRANTY The Long Rifle Package (LRP) comes MR762A1 Long Rifle Package (LRP) is a standard MR762A1 rifle with the ON ALL FIREAR ready-to-use in a Pelican Model 1720 addition of essential precision marksman accessories.

case with critical accessories.

Taking an essentially standard MR762A1 (caliber 7.62 x 51 mm NATO) semi-automatic rifle, Heckler & Koch turns it into a more effective precision rifle by an astute addition of the right optics and accessories. This "MOD 2" variant adds a streamlined handguard and HK pistol grip for greater functionality. A Leupold 3-9 x 40 mm VX-R Patrol scope and mount, HK G28 adjustable cheekpiece buttstock, and LaRue Tactical BRM-S

bipod are the primary add-ons that make the MR762A1 Long Rifle Package (LRP) more than a sum of its parts. A semi-automatic rifle originally developed from the fully

automatic HK417, the MR762A1 LRP employs the same HK proprietary gas piston operating system found on current HK rifles and carbines, using a "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms.

This method of operation virtually eliminates malfunctions that HK firearms. By using joint American and German manufacturing, are common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. This is the to make the preeminent AR-type firearms, combining the design same key feature critical to the success of the current generation of HK rifles used by leading military and law enforcement customers.

The MR762A1 LRP uses a barrel produced by Heckler & Koch's famous cold hammer forging process. The highest quality steel is used in this manufacturing method, producing a long-life barrel that provides superior performance with minimal degradation of accuracy and muzzle velocity after prolonged use. The barrels are manufactured in Germany and finished in the USA.

The MR762A1 used in the "Long Rifle Package" is being produced with the same commitment to quality as German-made series of precision rifles.

Heckler & Koch leverages the relative strengths of two continents innovations of the USA and Germany into superior products.

Additional accessories in the Long Rifle Package include an OTIS cleaning kit, HK multi-tool, and the same Blue Force Gear sling used on the HK M₂₇ IAR supplied to the USMC.

The rifle package, complete with one 20 and one 10-round magazine is shipped ready to use with the scope attached in a compact 42-inch Model 1720 Pelican case.

The MR₇62A1 LRP has all the features sought by civilian precision shooters as well as law enforcement organizations seeking a more basic and lighter weight alternative to the HK G28

MR556A1 5.56 MM X 45 NATO



A direct descendant of the HK416, the MR556A1 is a semi-automatic rifle developed by Heckler & Koch as a premium level commercial/civilian firearm with match rifle capability. Like the selective fire HK416, the MR556A1 is a major product improvement over conventional AR-type carbines and rifles.

The MR556A1 uses the HK proprietary gas piston operating system. employing a piston and a solid operating "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms.

This method of operation virtually eliminates malfunctions that are common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. This is the same key feature critical to the success of the HK416 rifles used by leading military and law enforcement customers.

The MR556A1 is assembled in the USA using American and German made components and uses many of the same assemblies and accessories originally developed for the HK416

Used with the either the HK Modular Rail System (MRS) or the Free Floating Rail System (FFRS), the barrel does not touch the handguard, ensuring the barrel/handguard relationship is truly free-floating for maximum accuracy. The MRS handguard was added in 2015 and has many of the features found on the FFRS but with a more ergonomic design.

Picatinny rails and allows all current accessories, sights, lights, and aimers used on M4/M16-type arms to be fitted to the MR Series. Both HK rail system handguards can be installed and removed with simple tools and return to zero when reinstalled.

The MR556A1 also has a Picantinny rail machined into the top of its upper receiver for mounting optics and mechanical sights. Unlike earlier prototypes, major subassemblies, including the MR556A1 upper receiver/ barrel assembly, are fully interchangeable with other high quality AR-style firearms. MR556A1 upper receiver kits can be used to retrofit competing legacy AR systems.

Like the famous HK416, the MR556A1 uses a German-made barrel produced by Heckler & Koch's famous cold hammer forging process. The highest quality steel is used in this unique manufacturing process producing a barrel that provides superior accuracy and long service life.

But unlike the HK416, the MR556A1 does not use a chrome-lined barrel. Chrome-lining can sometimes mask bore imperfections and negatively affect accuracy. For the new series of Heckler & Koch semi-automatic MR rifles, HK designers and engineers believe best accuracy comes with an unlined bore. The unchromed barrel has an internal profile of 6 lands and grooves with

The HK Free Floating Rail System (FFRS) handguard has four MIL-STD-1913 a 1 in 7 inch (178 mm) twist. It is also moderately "swagged" with a slightly smaller internal diameter at the muzzle end than the chamber end. This feature has a positive effect on bullet accuracy and velocity. The thick, heavy contour 16.5-inch MR556A1 barrel also contributes to its excellent accuracy.

A precise, enhanced two-stage trigger adds significantly to the accuracy of the MR556A1 and an extended latch charging handle makes operating the rifle with a telescopic sight easier. The retractable buttstock can be locked into a solid, non-moving position by tightening an Allen screw in the bottom of the stock. Special target rifle takedown pins ensure the upper and lower receivers are firmly mated for accurate performance.

Designed to function with a wide variety of high quality 5.56 x 45 mm ammunition, the MR556A1 uses a C.I.P. dimensioned chamber (a chamber with dimensions specified by the Commission Internationale Permanente). The MR556A1 also functions reliably with most quality Caliber .223 Rem. ammunition

The MR556A1 is being produced with the same commitment to quality as German-made HK firearms. By using joint U.S./German manufacturing, Heckler & Koch leverages the relative strengths of two continents to make the preeminent AR-type firearm, combining the designs innovations of the USA and Germany into one product.





SEMI-AUTOMATIC RIFLES & CARBINES

MR556A1 COMPETITON MODEL 5.56 MM X 45 NATO

Using the HK MR556A1 as the platform to build a competitive rifle -and with input from many competitive shooters — the Heckler & Koch Competition Model was developed for both casual shooters and the most demanding competitor. Ideal for 3 gun matches — the Competition Model adds the most critical fundamental enhancements to the standard MR rifle. Foremost among these additions are the new 14-inch Modular Rail System (MRS). Lightweight and easy to customize, the MRS allows sections

of accessory rails to be added by the shooter where desired, but keeping weight down and presenting a more ergonomic and comfortable handguard surface when compared to rectangular full rail systems.

The extended length 14-inch MRS does not touch the barrel, preserving the "free-floating" barrel-to-handguard feature favored by competitive shooters and present in all MR rifles. An extended magazine release is also

included for quick magazine changes.

An innovative compensator by Operator Suppressor Systems Inc. (OSS) replaces the standard MR flash hider. OSS is a leader in the development and manufacturing of sound and flash suppression and uses technologies originated in those fields to create a unique and highly effective compensator.

The standard MR stock is replaced by a MAGPUL CTR buttstock; easy to adjust, the CTR stock moves smoothly on the receiver extension and locks securely in position. Profile and weight make this buttstock ideal for competitive shooters.

All other standard features of the MR556A1 are retained on the MR556A1 Competition model — including a German-made long service barrel produced by Heckler & Koch's famous cold hammer forging technology and

HK's famous piston operating system.

Found on HK arms like the G₃₆ and HK₄₁₆, this system uses a gas piston and pusher rod in place of the more common hollow gas tube normally employed in "direct impingement" AR-style rifles.

The HK system improves reliability and reduces operator cleaning and maintenance as literally no carbon fouling or propellant gases are directed back into the weapon beyond the gas cylinder located above the barrel.

The Competition model is being produced in the USA, using joint U.S./ German manufacturing capabilities and components – combining the design innovations of the USA and Germany into a superior product.

And it's covered by the Heckler & Koch Lifetime Warranty.

MR556A1 Upper Receiver Kit



20

-----SPECIFICATIONS

| | | HANDGUN MODEL | CALIBER | MAGAZINE | MODES | | GRIPS | WIDTH (APPROX.) | HEIGHT (APPROX.) | WEIGHT WITH EMPTY MAGAZINE | SIGHT RADIUS (APPROX.) | BARREL LENGTH | OVERALL LENGTH |
|---|--|--------------------------------------|----------------|----------------------|-------------|------------------------------|------------------------|--------------------|---|--|---------------------------|--------------------|------------------------------|
| | American and German made components. The Upper Receiver Kit uses a German-made barrel produced by Heckler & Koch's famous cold hammer | VP9 | 9 mm x 19 | 15/10 | | | fully adjustable | 1.32 in / 33.5 mm | 5.41 in / 137.5 mm | 26.56 oz / 753 g | 6.38 in / 162 mm | 4.09 in / 104 mm | 7.34 in / 186.5 mm |
| barrel assembly, bolt carrier assembly, buffer, and buffer spring allowing eliminates malfunctions that are common to direct impingement gas most high-quality 5.56 mm AR-style rifles to be retrofitted to HK's pusher rod systems since hot carbon fouling and waste gases do not enter the receiver | P30 | 9 mm x 19 | 15/10 | semi | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 26.08 oz / 740 g | 5.84 in / 148.5 mm | 3.85 in / 98 mm | 7.12 in / 181 mm | |
| system. The Upper Receiver Kit is the core of the HK 5.56 mm proprietary gas area. | P30 | .40 S&W | 13/10 | semi | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 26.08 oz / 740 g | 5.84 in / 148.5 mm | 3.85 in / 98 mm | 7.12 in / 181 mm | |
| piston operating system. It employs a piston and a solid operating "pusher" Designed to function with a wide variety of high quality 5.56 x 45 mm ammunition, the MR556A1 Upper Receiver Kit uses a C.I.P. dimensioned | P30S | 9 mm x 19 | 15/10 | semi | 3-dot | fully adjustable | 1.53 in / 38.8 mm | 5.43 in / 138 mm | 26.08 oz / 740 g | 5.84 in / 148.5 mm | 3.85 in / 98 mm | 7.12 in / 181 mm | |
| The MR556A1 Upper Receiver Kit is designed to be fully interchangeable chamber (a chamber with dimensions specified by the Commission | P30S | .40 S&W | 13/10 | semi | 3-dot | fully adjustable | 1.53 in / 38.8 mm | 5.43 in / 138 mm | 26.08 oz / 740 g | 5.84 in / 148.5 mm | 3.85 in / 98 mm | 7.12 in / 181 mm | |
| | chamber end. This feature has a positive effect on bullet accuracy and | P30L | 9 mm x 19 | 15/10 | semi | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 27.52 oz / 780 g | 6.42 in / 163 mm | 4.45 in / 113 mm | 7.71 in / 196 mm |
| | | P30L | .40 S&W | 13/10 | semi | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 27.52 oz / 780 g | 6.42 in / 163 mm | 4.45 in / 113 mm | 7.71 in / 196 mm |
| | | P30LS | 9 mm x 19 | 15/10 | semi | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 27.52 oz/ 780 g | 6.42 in / 163 mm | 4.45 in / 113 mm | 7.71 in / 196 mm |
| | out sights. The Modular Rail System handguard | P30LS | .40 S&W | 13/10 | semi | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 27.52 oz / 780 g | 6.42 in / 163 mm | 4.45 in / 113 mm | 7.71 in / 196 mm |
| | is a"Picatinny rail" top and together with the HK upper ceiver can accommodate virtually all front and rear sights. | P30SK | 9 mm x 19 | 10 | semi | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 4.57 in / 116 mm | 23.99 oz/ 680 g | 5.35 in / 136 mm | 3.27 in / 83 mm | 6.42 in / 163 mm |
| | Exact same gas block, piston, | P30SKS | 9 mm x 19 | 10 | semi | 3-dot | fully adjustable | 1.53 in / 38.8 mm | 4.57 in / 116 mm | 23.99 oz/ 680 g | 5.35 in / 136 mm | 3.27 in / 83 mm | 6.42 in / 163 mm |
| Extended convertible HK charging handle | operating rod, and operating spring as used on the famous HK416 | HK45 | .45 ACP | 10 | semi | 3-dot | adj. backstrap | 1.54 in /39 mm | 5.91 in / 150 mm | 31.20 oz/ 880 g | 6.63 in / 168.5 mm | 4.46 in / 113.5 mm | 8.03 in / 204 mm |
| | A DATE OF THE OWNER | HK45 Tactical | .45 ACP | 10 | semi | | adj. backstrap | 1.54 in /39 mm | 5.91 in / 150 mm | 31.20 oz / 880 g | 6.63 in / 168.5 mm | 4.46 in / 113.5 mm | 8.03 in / 204 mm |
| | | HK45 Compact | .45 ACP | 8/10 | semi | 3-dot | adj. backstrap | 1.54 in / 39 mm | 5.51 in / 140 mm | 28.48 oz / 810 g | 6.00 in / 152.5 mm | 3.90 in / 99 mm | 7.24 in / 184 mm |
| | ~ ~ . | HK45 Compact Tactical | .45 ACP | 8/10 | semi | 3-dot | adj. backstrap | 1.14 in / 29 mm | 5.51 in / 140 mm | 29.12 oz / 830 g | 6.00 in / 152.5 mm | 4.57 in / 116 mm | 7.91 in / 201 mm |
| 0.90 | | P2000 | 9 mm x 19 | 13/10 | semi | | adj. backstrap | 1.37 in / 34.8 mm | 5.07 in / 129 mm | 24.96 oz / 710 g | 5.55 in / 141 mm | 3.66 in / 93 mm | 6.85 in / 174 mm |
| HK's proprietary action The L | Jpper Receiver Kit also includes the HK Modular | P2000 | .40 S&W | 12/10 | semi | | adj. backstrap | 1.37 in / 34.8 mm | 5.07 in / 129 mm | 24.96 oz / 710 g | 5.55 in / 141 mm | 3.66 in / 93 mm | 6.85 in / 174 mm |
| spring and tungsten-filled The HK MRS handguard can Rail S | System (MRS), a keymod type handguard vlied with two movable MIL-STD-1913 | P2000SK | 9 mm x 19 | 10 | semi | | adj. backstrap | 1.37 in / 34.8 mm | 4.55 in / 115.5 mm | 24.00 oz / 680 g | 5.18 in / 131.5 mm | 3.26 in / 83 mm | 6.40 in / 162.5 mm |
| used to ensure reliable simple tools and returns to zero "Pica | tinny" rail segments. This premium machined | P2000SK | .40 S&W | 9 | semi | | adj. backstrap | 1.27 in / 34 mm | 4.55 in / 115.5 mm | 24.00 oz / 680 g | 5.18 in / 131.5 mm | 3.26 in / 83 mm | 6.40 in / 162.5 mm |
| | handguard allows all current accessories, ts, lights, and aimers used on M4/M16-type Thick, swagged unlined barrel for | USP9 | 9 mm x 19 | 15/10 | semi | | fixed | 1.26 in / 32 mm | 5.31 in / 135 mm | 27.20 oz / 770 g | 6.22 in / 158 mm | 4.25 in / 108 mm | 7.68 in / 195 mm |
| arms | to be fitted. optimal semi-automatic accuracy | USP40 | .40 S&W | 13/10 | | | fixed | 1.26 in / 32 mm | 5.31 in / 135 mm | 28.96 oz / 820 g | 6.22 in / 158 mm | 4.25 in / 108 mm | 7.68 in / 195 mm |
| Installation of MIL-SPEC hammers in non-HK lower | and robust durability | USP45 | .45 ACP | 12/10 | semi | | fixed | 1.26 in / 32 mm | 5.61 in / 142.5 mm | 34.88 oz / 990 g | 6.34 in / 161 mm | 4.41 in / 112 mm | 7.91 in /201 mm |
| receivers are required for | | USP9 Compact | 9 mm x 19 | 12/10 | | | fixed | 1.38 in / 35 mm | 5.00 in / 127 mm | 25.76 oz / 730 g | 5.31 in / 135 mm | 3.58 in / 91 mm | 6.81 in / 173 mm |
| MADE IN | | USP40 Compact | .40 S&W | 13/10 | | 3-dot | fixed | 1.38 in / 35 mm | 5.00 in / 127 mm | 27.52 oz / 780 g | 5.31 in / 135 mm | 3.58 in / 91 mm | 6.81 in / 173 mm |
| | | | .40 3 W | 8 | semi | | fixed | | | · - | | | - |
| USA | MR556A1 Upper Receiver Kit | USP45 Compact USP9 Tactical | | 8 | semi | | fixed | 1.38 in / 35 mm | 5.04 in / 128 mm | 28.16 oz / 800 g | 5.63 in / 143 mm | 3.78 in / 96 mm | 7.09 in /180 mm |
| | (fits most high quality 5.56 mm AR rifles with | | 9 mm x 19 | | semi | - | | 1.26 in / 32 mm | 5.50 in / 140 mm | 28.16 oz / 800 g | 6.57 in / 167 mm | 4.86 in / 123.5 mm | 8.40 in / 218 mm |
| | retractable buttstocks) | USP40 Tactical | .40 S&W | 13/10 | | 0 | fixed | 1.26 in / 32 mm | 5.55 in / 141 mm | 28.96 oz / 820 g | 6.22 in / 158 mm | 4.90 in / 124.5 mm | 8.32 in / 211 mm |
| | HK MR556 Upper kit includes: | USP45 Tactical | .45 ACP | 12/10 | semi | Target | fixed | 1.26 in / 32 mm | 5.90 in / 150 mm | 32.80 oz / 1020 g | 6.73 in / 171 mm | 5.09 in / 129 mm | 8.64 in / 218 mm |
| | 1 Complete MR556 Upper Receiver/Barrel | USP9 Expert | 9 mm x 19 | 15/18 | semi | 0 | fixed | 1.73 in / 44 mm | 5.86 in / 149 mm | 33.60 oz / 960 g | 7.48 in / 190 mm | 5.19 in / 132 mm | 8.70 in / 221 mm |
| t an an an an an 100 1 | Assembly— HK 16.5 inch cold-hammer forged barrel, upper receiver with forward assist, | MARK 23 | .45 ACP - | 12 | semi | 3-dot | fixed | 1.53 in / 39 mm | 5.90 in / 150 mm | 39.36 oz / 1120 g | 7.76 in / 195 mm | 5.87 in / 149 mm | 9.65 in / 245 mm |
| | extended convertible charging handle, HK | SEMI-AUTOMATIC RIFLE MODEL | CALIBER | MAGAZINE CAPACITY | | SIGHTS | STOCKS | WIDTH (APPROX.) | HEIGHT (APPROX.) | WEIGHT WITH EMPTY MAGAZINE | SIGHT RADIUS (APPROX.) | BARREL LENGTH | OVERALL LENGTH |
| U | Modular Rail System (MRS) handguard | MR762A1 | 7.62 mm x 51 - | 10/20 | semi | | Retractable | 3.23 in /82 mm | 8.36 in /213 mm | 9.84 lb /4.48 kg | 16.14 in / 410 mm | 16.50 in / 420 mm | 35.94–39.10 in 913–993 mm |
| | 2 Complete MR556 Bolt Group Assembly 3 HK Proprietary Buffer | MR762A1 Long Rifle Package LRP II | 7.62 mm x 51 - | 10/20 | semi (Le | Optical upold 3-9x40 mn | Retractable 1) G28 | 3.23 in /82 mm | 8.36 in /213 mm 10.75 in / 273 mm ¹ | 10.58 lb /4.80 kg 13.46 lb / 6.11 kg¹ | N/A | 16.50 in / 420 mm | 35.94-39.10 in 913-993 mm |
| | 4 HK Proprietary Buffer (Action) Spring | MR556A1 | 5.56 mm x 45 | 10/20/30 | semi | adjustable TROY micro set | Retractable | 3.07 in /78 mm | 9.45 in /240 mm | 9.10 lb / 4.13 kg | 14.60 in / 371 mm | 16.50 in / 420 mm | 33.90–37.68 in 861–957mm |
| <u> </u> | | MR556A1 Competition Model | 5.56 mm x 45 | 10/20/30 | semi | | Retractable MAGPUL CTR | 3.07 in /78 mm | 9.45 in /240 mm | 8.78 lb / 3.98 kg | N/A | 16.50 in / 420 mm | 37.75–41.00 in 959–1041mm |

Visit www.hkwebshop.com for the complete selection of HK accessories.



HK Part #85211 Otis Cleaning Kit (for use with most HK firearms)



HK Part #988496 HK Multi Tool (for MR Rifles, SL8, USC, other HK firearms)



HK Part #227614 MR Rifle Convex Recoil Pad (fits MR busttstocks, HK416, and HK417 buttstocks)



HK Part #216189 USP Jet Funnel Assembly Kit



HK Part #234708S HK 7.62 mm Polymer Magazine (fits MR762A1, G28, and HK417)





HK Part #227610 HK V2 Pistol Grip (fits all MR Rifles, HK416, HK417, G28, most AR/M4/M16 type arms)



HK Part #228377 P7 Cylinder Cleaning Tool HK Part #222269 P7 Cleaning Brush



HK Part #203399 Light Bipod (fits HK91/HK93 wide forearm)



HK Part #234723 HK Rifle Carry Sling (MR Rifles)



HK Part #214085 HK Rifle Carry Sling (SL8/USC/G36) HK Part #702539 X-Grip Magazine Sleeve (fits various HK pistol magazines)



A variety of HK water bottles, including metal and classic BPA free Nalgene

HK Part #702038 Thread Protector (USP45/HK45),





Selection of HK apparel items including ball caps, t-shirts, and outerwear



HK Part # 1002006-01 9 inch 556 Modular Rail System (MRS) Black, HK Part #1002006-03 9 inch 556 Modular Rail System (MRS) FDE



HK Part #1002020-01 14 inch 556 Modular Rail System (MRS) Black, HK Part #1002025-01 14.7 inch 762 Modular Rail System (MRS) Black





ACCESSORIES



HK Part #233197 HK Rear Diopter Sight, Fits MR556A1 and HK416 10.4/16.6, #227635 HK Rear Diopter Sight, Fits MR762A1 and HK417



HK Part #2356905 HK 5.56 mm 30 Round Polymer Magazine (fits HK416, MR556A1, and other AR-type firearms)



HK Part #251770S HK 5.56 mm 30 Round Steel Magazine (fits HK416, MR556A1, and other AR-type firearms)



HK Part #234268S HK45 Compact 10 round magazine with extended floorplate



HK Part #234708S HK 7.62 mm Polymer Magazine (fits MR762A1, G28, and HK417)



HK Part #226349 USP45 Threaded Barrel & O-Ring HK Part #236350 HK45C Threaded Barrel & O-Ring HK Part #236351 HK45 Threaded Barrel & O-Ring



HK Part #708056R P30/HK45/VP9 Night Sights HK Part #986844 USP Adjustable Rear Sight (use with Front Target Sight 215939)



HK Part #234656S USP 9 mm 18 round magazine





HK Part #203617 Protective Cover (fits over most Picatinny Rails)





HK Part #251450 HK Vertical Foregrip (fits on Picatinny rails)



Large selection of corporate identity products



HK Part #237540 Long 11 in. Picatinny Rail 7.62 mm Handguard, #233617 Long Rail Handguard (5.56)



HK Part #708294 HK Universal Pistol Holster, fits HK45 Series/P30 Series/P2000 Series/VP9 (multiple carry options)

HK LIFETIME WARRANTY

All HK firearms sold commercially in the USA are covered by a Limited Lifetime Warranty for the original owner— one of the most comprehensive guarantees in the industry.

Firearms purchased by the military or law enforcement are covered by a One Year Limited Warranty against material defects and workmanship. Warranty repair or replacement is conducted at the discretion of Heckler & Koch.

FIREARMS SAFETY

Read and follow all safety information in the operator's manuals. Store all firearms in a safe and secure location. Keep firearms away from children. Always be a safe operator.

NOTE: Not all Heckler & Koch products are available to commercial/civilian customers. Some products are limited to military and law enforcement users only.

For more information on HK military, law enforcement, and commercial products outside of the United States contact:

HECKLER & KOCH GMBH Postfach 1329 D-78722 Oberndorf Germany Tel +49 7423/79-0 • Fax +49 7423/79-24 97 Global Website: www.heckler-koch.com Email: hkinfoboard@heckler-koch.de



OUR HISTORY AND MISSION

For over half a century, Heckler & Koch has been a leading designer and manufacturer of small arms and light weapons for law enforcement and military forces worldwide. HK is also the maker of premier brand firearms for the sporting and commercial markets. Its reputation for quality, innovation, and safety make Heckler & Koch a recognized leader in the development of technologically advanced products. And the long-term durability of all HK products make them especially cost-effective when subjected to total life cycle cost analysis.

As a major international force, Heckler & Koch has a vision that is simple yet demanding — "To be the world's premier small arms systems company."

With operations in Germany, the United Kingdom, France, and the United States, we continue to meet the ever-evolving needs and requirements of our customers. A major supplier of small arms to several NATO countries, Heckler and Koch is a worldwide leader in market positions for nearly all of its major product categories.

The foundation for everything we do is an unswerving commitment to excellence. This is accomplished through technological leadership, in depth product research and development, responsible marketing, and strategies that create and shape markets. We consider it a fundamental obligation to deliver the best possible products to our customers. The words "No Compromise" are more than a motto, they are the core of our corporate philosophy. WHERE TO BUY To put an HK firearm in your hands, visit an authorized Heckler & Koch dealer. For the location nearest you, go to the DEALER LOCATOR at www.HK-USA.com or call 706-568-1906.



Visit the HK website at: www.hk-usa.com for the latest on Heckler & Koch firearms, accessories, and branded products.

An affiliate of Heckler & Koch GmbH of Oberndorf, Germany; Heckler & Koch USA currently has three principal US locations. HK Columbus (Georgia) provides the U.S. commercial (civilian) market and law enforcement community with technologically advanced firearms, customer support, and repair services. HK Columbus is also HK's main distribution center.

HECKLER & KOCH USA 5675 Transport Boulevard Columbus, GA 31907 USA Tel: 706-568-1906 / Fax: 706-568-9151 Email: cs@heckler-koch-us.com USA website: www.hk-usa.com HK Ashburn (Virginia) serves the U.S. military and federal law enforcement community with logistical support and acts as an administrative/sales support activity. HK Ashburn is also the center for armorers and specialized training on Heckler & Koch arms conducted by HK Training & Technical Services.

HECKLER & KOCH USA 19980 Highland Vista Drive, Suite 190 Ashburn, VA 20147 USA Tel: 703-450-1900 / Fax:703-450-8160 Email: info@heckler-koch-us.com USA website: www.hk-usa.com HK Newington (New Hampshire) is Heckler & Koch's center for its American manufacturing and program management activities. Established in 2007, HK's Newington operation includes advanced CNC machine tooling and polymer molding technology capable of making a full line of Heckler & Koch products. Production and assembly of pistols began in 2008 with commercial rifles being added in 2009.

HECKLER & KOCH USA 27 Piscataqua Drive Newington, NH 03801 USA Tel: 703-450-1900 / Fax: 603-431-1221 USA website: www.hk-usa.com Global website: www.heckler-koch.com