

# CIVILIAN CATALOG



HECKLER & KOCH

# VP SERIES 9 MM X 19 / .40 S&W

In 2014, the introduction of the Heckler & Koch 9 mm VP9 took the firearms industry by storm. The following year, the HK VP40 — with its powerful .40 S&W chambering joined the VP Series lineup.

In development for more than four years, the VP Series is Heckler & Koch's latest handgun and the first striker fired HK since the renowned P7 series pistols were introduced in the 1980s.

Experience gained by HK engineers with the P30 pistol had a direct influence on the design of the VP, but the VP Series breaks new ground with its integration of a unique striker firing system with an enhanced HK precision strike trigger. The net result is trigger quality unequaled in any production striker fired handgun.

Heckler & Koch pioneered the first striker fired handguns, producing both the VP70 and P7 series, designs that impacted several models by HK competitors. But a superior trigger has eluded most striker fired pistol designs.

The VP trigger surpasses those found on competitors. It has a short, light take-up with a solid, single action type break followed by a short positive reset.

The VP trigger has a consistent pre-travel pull with a positive wall/crisp break. Typically, striker fired guns have a pre-travel pull that increases in weight as you go through the trigger stroke. With the VP, you have a less than noticeable pre-travel pull until the trigger reaches the engagement point of the fire control parts prior to trigger break.

The VP uses HK's ergonomic handgun grip design that includes three changeable backstraps and six grip side panels — accommodating all hand sizes. Molded finger grooves in the front of the pistol's grip also instinctively position an operator's hand for optimal shooting. Only HK handguns have such a customized grip.

Although influenced by other HK models, the VP Series has all the hallmarks of the latest, state-of-the-art handgun. All controls are completely ambidextrous. Slide releases are present on both sides of the frame and the magazine release can be easily activated by left- or right-handed shooters.

A new feature is HK's patented charging supports — simple components that are mounted on each side of the rear of the slide and provide better gripping leverage for racking the slide rearward. The charging supports speed reloading and make operating the VP easier for shooters with reduced hand strength. VP Series pistols use the proven HK P30 steel magazine design; 15-round (9 mm) and 13-round (.40 S&W). Reduced, 10-round capacity magazines are also available.

VP Series pistols have an extended Picatinny MIL-STD-1913 rail molded into their polymer frame for mounting lights and accessories. The rail has been tested and certified to handle mounted accessories up to 5.6 ounces (160 grams).

VP pistols use a proprietary captive flat recoil spring that helps reduce the recoil forces effecting the operator and the handgun, improving shooter control during rapid firing and prolonging component life span.

HK's famous cold hammer forged barrel — made from cannon grade steel — ensures a long service life. Similar HK barrels on 9 mm P30 models have fired more than 90,000 rounds in endurance tests in 2010. The polygonal bore profile, with no traditional lands-and-grooves rifling, contributes to longer service life as well as a slight increase in muzzle velocity.

The VP's machined steel slide is protected from corrosion and wear by HK's hostile environment finish and all metal components, including springs and pins have superior metallurgy.

VP pistols are made in Heckler & Koch's Oberndorf factory in southwest Germany and are well-suited for civilian sport shooting, security, military, and law enforcement use.


Covered by Heckler & Koch's limited lifetime warranty, the VP Series is a solid design engineered with the famous long-term durability that make HK products especially cost-effective when subjected to total life cycle cost analysis. And VP Series pistols are remarkably value priced.



Nearly identical, the VP40 has a taller (by 1 mm) and slightly heavier slide than the VP9. Patented HK Charging Supports help facilitate smoother and easier manipulation of the slide during clearing or reloading.



The VP's extended MIL-STD-1913 rail with four segments is rated to accommodate a 5.6 ounces / 160 grams load for accessory light, lasers, and aimers with no impact on performance.



VP Series trigger compared to triggers on leading competing striker fired pistols. The HK VP Series trigger tested lighter than the two most major models.


## PISTOLS



The VP Series pistols use a striker fired ignition and a modified Browning operating system combined with an optimal precision strike trigger control system — it is in essence a premium HK P30 frame mated to an advanced striker fired slide design. Materials include proprietary HK steel for barrel, slide, springs, pins, and internal components. The VP Series polymer frame is completely corrosion resistant.



Combination of 3 interchangeable backstraps and 6 grip panels allow custom fit for all shooters. 27 unique, custom-fitted grip combinations are possible for VP pistols.



The VP Series pistol possesses HK's well-earned reputation for handgun accuracy (HK staff test target, 5 shots with a VP9 at 25 yards).



Color frame models are available for the VP series in both 9 mm and .40 S&W. Special colorants added to the frame during the molding process enable durable and attractive color options. Flat Dark Earth (FDE), Gray, and NATO Green models (above) join the VP lineup. FDE (Flat Dark Earth) is the tan/brown color scheme increasingly used by international military and security units.



VP pistols can be easily field stripped and disassembled using the HK takedown lever — and without the need to pull the trigger prior to removing the slide. VP's have a service life of tens of thousands of rounds.

# VP9 SK (SUBCOMPACT) 9 MM X 19

The eagerly anticipated subcompact model of the acclaimed Heckler & Koch VP Series handgun, VP9 SK (for “SubKompact” in 9 mm) has all of the sought-after characteristics of larger frame VP pistols but in a more concealable design.

The highly-rated HK VP precision strike trigger is also found on the VP9 SK. The VP trigger surpasses those found on competitors. It has a short, light take-up with a solid, single action break followed by a short positive reset. The net result is trigger quality unmatched in production striker fired pistols.

A small-scale version of the completely adjustable VP grip feature — consisting of interchangeable backstraps and lateral grip panels — is replicated in the compact grip frame of the VP9 SK. This allows the pistol to be easily modified to fit any individual user and is a feature found only on Heckler & Koch handguns. Molded finger grooves in the front of the pistol’s grip also instinctively position an operator’s hand for optimal shooting.

The VP9 SK has all the features of the latest, state-of-the-art handgun. Every control is completely ambidextrous. Slide releases are present on both sides of the frame and the paddle style magazine release can be easily activated by left- or right-handed shooters.

HK’s patented charging supports, found on full size VP pistols, are also present on the VP9 SK. The charging supports are simple components that are mounted on each side of the rear of the slide and provide better gripping leverage for racking the slide rearward. The charging supports speed reloading and make operating VP series handguns easier for shooters with reduced hand strength.

VP9 SK pistols can use a variety of proven HK magazines, including compact double stack 10-round and 13-round with either flat or hooked floorplates for a more ergonomic grip. The VP9 SK can also use the same high capacity 15-round magazine used by the full size VP and P30 handguns. Magazine sleeves that replicate the grip profile of the VP handgun are also available.

VP9 SK pistols have an abbreviated Picatinny MIL-STD-1913 rail molded into their polymer frame for mounting lights and accessories.

VP9 SK pistols use a proprietary captive flat recoil spring that helps reduce the recoil forces affecting the operator and the handgun, improving shooter control during rapid firing and prolonging component life span.

HK’s famous cold hammer forged barrel — made from cannon grade steel — ensures a long service life. Similar HK barrels on 9 mm P30 models have fired more than 90,000 rounds in endurance tests in 2010. The polygonal bore profile, with no traditional lands-and-grooves rifling, contributes to longer service life as well as a slight increase in muzzle velocity.

The VP SK’s machined steel slide is protected from corrosion and wear by HK’s hostile environment finish and all metal components, including springs and pins have superior metallurgy.

Small in size, VP9 SK subcompacts have excellent weight and balance making them naturally pointable, easy to control, and accurate to shoot. VP SK models are currently available in 9 mm x 19.

VP9 SK pistols are made in Heckler & Koch’s Oberndorf factory in southwest Germany and are well suited for civilian sport shooting, personal protection, security, military, and law enforcement use.

A high quality and well-engineered design, the VP9 SK possesses all the features and long-term durability that make HK products especially cost-effective when subjected to total life cycle cost analysis. And like full size VP pistols, the VP9 SK is value priced.





The VP9 SK comes with a complete set of 3 interchangeable backstraps and 6 grip panels allowing users a custom fit with 27 unique grip combinations.



The VP9 SK is the perfect combination of compact size with optimal weight, length, and width to make it comfortable and accurate to shot.



The VP9 SK has an abbreviated MIL-STD-1913 rail on the front of the frame and can accommodate many accessory lights, lasers, and aimers — including some designed for large frame pistols.



A variety of VP SK magazines and accessory floorplates are available including a flat floorplate magazine (10 round capacity), a hooked floorplate magazine (10 round capacity), and extended magazines (13 round and 15 round capacity) with extended floorplates/magazine sleeves.



A low maintenance design, the VP9 SK can be easily field stripped and disassembled without the need to pull the trigger prior to removing the slide.

# P30 9 MM X 19 / .40 S&W

Recent HK pistol designs, the P30 and P30L (Long Slide) are modern police and security pistols that combine function and safety. Ergonomic features include a special frame with interchangeable backstraps and lateral grip panels, allowing the pistol to be individually adapted to any user. Multiple trigger firing modes include HK's enhanced double action only "Law Enforcement Modification (LEM)" as well as conventional double action/single action with a serrated decocking button located on the rear of the frame. Other ambidextrous controls include dual slide and magazine release levers. All P30 pistols feature an automatic hammer safety and firing pin safety.

A Picatinny rail molded into the front of the frame makes mounting lights, laser aimers, or other accessories easy and convenient. Extensively tested, the P30 Series have already been adopted by several police agencies in Europe and North America. During an independent torture test in 2010, one randomly selected P30 fired more than 90,000 rounds. Excellent weight and balance make all the P30 series pistols naturally pointable, easy to control, and accurate to shoot. The P30 and P30L are both available in 9 mm and .40 S&W, "S models" (P30S and P30LS) have ambidextrous safeties.

**P30:** Models in caliber 9 mm x 19 or .40 S&W with short slide/barrel and no external safety. Currently available in following variant and trigger systems: V1 "Light" LEM (Law Enforcement Modification - light trigger pull), V3 DA/SA (Double Action/Single Action)



**P30S:** Models in caliber 9 mm x 19 or .40 S&W with short slide/barrel and ambidextrous external safety levers. Available in following variant/trigger system: V3 DA/SA (Double Action/Single Action).



**P30L:** Model in caliber 9 mm x 19 or .40 S&W with lengthened slide/barrel. Available in following variants and trigger systems: V1 "Light" LEM (Law Enforcement Modification - light trigger pull), V2 LEM (Law Enforcement Modification), and V3 DA/SA (Double Action/Single Action).



**P30LS:** Models in caliber 9 mm x 19 or .40 S&W with lengthened slide/barrel and ambidextrous external safety levers. Available in following variant/trigger system: V3 DA/SA (Double Action/Single Action).



Cold-hammered barrel ensures long service life and outstanding shooting accuracy. Polygonal bore profile for increased velocity, easier cleaning, and longer barrel life.

All HK pistol slides are made from high-strength steel with carbon-nitride "hostile environment" finish.

Law Enforcement Modification (LEM) enhanced double action only model has spurless hammer, its V1 "light" LEM trigger pull is approximately 5.4 pounds.

Large recurved trigger guard allows shooting when wearing gloves.

Ambidextrous magazine release is easily operated using your thumb or index finger without changing the grip position.

P30 series pistols use metal magazine for optimal reliable feeding. Capacity: 9 mm = 15 rounds, .40 S&W = 13 rounds. 10 round magazines available for both calibers.



P30 V1 LEM

### TESTED ENDURANCE

One randomly picked P30 9 mm sample fired 91,322 rounds in a 2010 reliability trial conducted by the independent firearms consultancy "pistol-training.com."



NOTE: Law enforcement & government models of all HK pistols include tritium night sights, three magazines and are available to civilian shooters.



P30L identical to standard P30 but with 1/2 inch longer slide, barrel, and sight radius.

P30L P30



MIL-STD-1913 "Picatinny" rail for easy installation of weapon lights, lasers, and other accessories.

P30 V3 DA/SA

Decocking lever for conventional double action/single action (DA/SA) models.



Interchangeable backstraps allow custom fit for all shooters. Medium, small, and large backstraps are standard with each pistol.



Combination of 3 interchangeable backstraps and 6 grip panels allow custom fit for all shooters. 27 unique grip combinations are possible.

P30 and P30L pistols have Non-radioactive luminescent three dots sights for fast target acquisition. Accessory night sights also available.

P30 and P30L "S" models have ambidextrous safety levers and a separate decocking button. Safety lever can be used to carry the pistol "cocked and locked."




P30LS V3 DA/SA

Decocking lever for double action/single action (DA/SA)

Conventional double action/single action (DA/SA) with a centrally located decocking button and hammer with spur.

HK ergonomic grip profile is designed to conform to hand anatomy for better control and conform.



Grip panels (lateral plates) for custom fit. Complete set are standard with all P30 models.

Law Enforcement Modification (LEM) enhanced double action has hammer without spur.

P30/P30S/P30L/P30LS/P30SK/P30SKS/P2000/P2000SK TRIGGER FIRING MODE AND SAFETY SYSTEMS CHARACTERISTICS

Variants	Trigger system <sup>1</sup>	Trigger pull (Pound-Force/Newtons approx.) <sup>2</sup>			Trigger travel (mm approx.) <sup>3</sup>		Safety <sup>4</sup>	Hammer	
		LEM	SA	DA	SA <sup>2</sup>	DA <sup>3</sup>		with spur	without spur
V1	LEM	5.4 / 24	-	-	-	14	A	no	yes
V2	LEM	7.3 / 32.5	-	-	-	14	A	no	yes
V3	DA/SA	-	5.4 / 24	11.5 / 51	7	14	A, D (S)	yes	no

<sup>1</sup> LEM = Law Enforcement Modification (also known as CDA = Combat Defence Action) / <sup>2</sup> SA = Single Action / <sup>3</sup> DA = Double Action (1 shot as specified, subsequent shots approximately 7 mm) / <sup>4</sup> A = Automatic hammer and drop safety catch / D = Decocking / (S) = Ambidextrous safety levers available. Same trigger modes available for P2000/P2000SK, but no V3 with ambidextrous safeties.

# P30SK (SUBCOMPACT) 9 MM X 19



The subcompact model of the renowned P30 handgun, P30SK (SubKompact) series has all of the sought-after characteristics of the larger frame P30 and P30L pistols but in a more concealable design.

The completely adjustable P30 grip feature — consisting of interchangeable backstraps and lateral grip panels — is replicated in the ultra-compact grip frame of the P30SK. This allows the pistol to be easily modified to fit to any individual user. And like its larger frame counterparts, the P30SK is available

in multiple trigger firing modes including HK's enhanced double action only "Law Enforcement Modification (LEM)." For the P30SK, the LEM trigger is configured with a "light strike V1" setup — requiring approximately 5.4 pounds-force to pull the trigger.

Other trigger modes include conventional double action/single action (DA/SA) with a serrated decocking button located on the rear of the frame. The DA/SA mode is available with and without dual ambidextrous manual safeties located on the left and right side of the frame. Other ambidextrous controls include dual slide

and magazine release levers. Like all P30 pistols, the P30SK features an automatic hammer safety and firing pin safety.

An abbreviated Picatinny rail molded into the front of the frame enables weapon lights, laser aimers, or other accessories to be easily mounted. All P30SK models have been extensively tested during a three year development process.

Despite their small size, P30SK subcompacts have excellent weight and balance making them naturally pointable, easy to control, and accurate to shoot; currently available in 9 mm.



PISTOLS



Short 3.27 inch (83 mm) barrel has polygonal profile and is made with proprietary cannon grade steel using the famous HK cold hammer forging process



New hooked floorplate magazine makes gripping the P30 SK even more comfortable.

**P30SKS**  
V3 DA/SA WITH SAFETY

Ambidextrous slide releases are located on both sides of the frame

P30SKS has ambidextrous safety levers located on both sides of the slide

Enlarged, extended extractor also functions as a loaded chamber indicator

Extended, hooked floorplate magazine for optimal grip



Safety lever

Decocking lever

Trigger has "optimal parabola" curve for comfort and ease of control

P30SK models have the patented HK Lock-Out Safety Device installed in the magazine well. When engaged, the handgun is locked and cannot fire until unlocked.



P30SK shown with accessory weapon light. The pistol's abbreviated MIL-STD-1913 rail accommodates many accessory lights, lasers, and aimers — including some designed for large frame pistols.



P30SK models  
Overall length = 6.42 inches (163 mm)  
Height = 4.57 inches (116 mm)



P30 models  
Overall length = 7.12 inches (181 mm)  
Height = 5.47 inches (138 mm)



P30L models  
Overall length = 7.71 inches (196 mm)  
Height = 5.47 inches (138 mm)

All P30SK variants come with a complete set of 3 interchangeable backstraps and 6 grip panels allowing users a custom fit with 27 unique grip combinations.



P30SK / P30 / P30L SIZE COMPARISON

# HK45 & HK45 COMPACT .45 ACP

The HK45 Series is one of Heckler & Koch's most up-to-date pistol lines and is available as both a full-size and compact model. The HK45 and HK45 Compact were developed as product improvements of the highly-regarded and ultra-reliable HK USP45 and USP45 Compact family of pistols that were introduced in the 1990s.

Many user-inspired enhancements found on the HK45 and HK45 Compact are also present on several recent Heckler & Koch semi-automatic pistols, including the P30, P30L, P30SK, P2000, and P2000 SK. These features include changeable backstraps, improved Picatinny MIL-STD-1913 accessory rails, better ergonomics, and more ambidextrous controls.

The HK45 and HK45 Compact were originally developed as candidates for the Joint Combat Pistol (JCP) and Combat Pistol (CP) programs administered by the U.S. military in their search for a new service handgun in 2005-06.

Well-suited for personal defense use, the HK45 and HK45C (Compact) are available in, or can be converted to, a wide variety of variants that use different trigger firing modes, including DA/SA (double action/single action) and DAO (double action only). The DAO mode uses the unique Heckler & Koch LEM (Law Enforcement Modification) firing system for an enhanced and improved double action trigger pull.

By using the modular approach to the internal components first pioneered by HK on the USP, the control lever function of the HK45 can be switched from the left to the right side of the pistol to accommodate left-handed shooters (additional parts required). Left and right mounted control levers provide safety and/or decocking functions as required and can be fitted to the pistol simply by changing parts. For true ambidextrous use, a control lever can also be mounted on both sides of the pistol if required.

Extensively tested and operationally proven, the HK45 Series is a new paradigm for Heckler & Koch handgun design and manufacturing.

**Enlarged, heavy-duty extractor for reliability**

**Special HK Hostile Environment finish, a polymer coated Tenifer treatment**

**Polygonal bore for increased velocity, easier cleaning, and longer barrel life**

**Contoured and radiused machined steel slide with forward slide grooves (front cocking serrations) and anti-glare longitudinal ribs (top)**

**HK three dot sights**

**HK45, HK45 Tactical, HK45 Compact, and HK45 Compact Tactical models are assembled in the USA from German and American made components.**

**An improved USP-style control lever, a combination safety and decocking lever, is frame mounted and quickly accessible. The HK45 control lever has a positive stop and returns to the "fire" position after decocking.**

**Changeable backstrap**

**MIL-SPEC 1913 Picatinny rail for installing lights and other accessories**

**HK45 LEM**

**LIFETIME WARRANTY — ON ALL FIREARMS —**

**Large trigger guard allows shooting when wearing gloves**

**HK45 V1**

**10 round steel magazine with protective polymer floorplate**

**Changeable backstrap**

**Ambidextrous controls include enlarged magazine release and dual slide releases.**

**MODULAR BACKSTRAPS**  
Each HK45 comes standard with an extra backstrap; medium and small interchangeable backstraps ensure an optimal fit for most shooter's hands and complement the ergonomic profile grip.

**O-RING FOR ACCURACY**  
All HK45 series models have proprietary O-ring barrels for precise barrel-to-slide lockup and optimal accuracy. All HK45 models have barrels made using the famous HK cold-hammer forging process.

**PICATINNY RAIL FOR ACCESSORIES**  
Integral MIL-STD-1913 (Picatinny) rail molded into the polymer frame dust cover for mounting lights, laser aimers, and other accessories. HK45 shown with SureFire weaponlight.

Choice of conventional double action/single action (with manual safe & decocking), enhanced double action only (LEM), and decock only



All HK45 Series pistols come with two interchangeable backstraps (small and medium) for optimal fit



**HK45 COMPACT**

Ambidextrous slide release levers present on all HK45 series models

HK45 Compact models are functionally identical to the full size HK45 with a shorter barrel/slide and a shorter, "slim-line" grip.

8-round magazine with a finger grip floorplate. 10-round magazines for HK45/HK45 Tactical also fit.



**HK45 TACTICAL MODEL MATCHED WITH A SOUND SUPPRESSOR**  
For suppressed use, an HK45 Tactical model easily accommodates most high quality, major brand sound suppressors. The extended O-ring barrel ensures optimal lockup with the slide for precision accuracy.



**LOCK-OUT SAFETY DEVICE**  
HK pistols feature the patented HK Lock-Out Safety Device. When engaged, it locks the handgun's action by blocking any movement of the hammer strut and slide. The handgun is locked and cannot fire until unlocked.



**50,000 ROUNDS TORTURE TEST**  
In 2010, an independent training organization, [Pistol-Training.Com](http://Pistol-Training.Com), subjected a randomly selected HK45 to a 50,000 round endurance test. Cleaned at 10,000 round intervals, the sample pistol survived the endurance test and is still being used.



**DEVELOPED FOR SPECIAL OPERATIONS**  
Created for the U.S. military's special operations handgun competition, the HK45 series has an unrivalled reputation for accuracy and reliability. A variant of the HK45 CT is currently the handgun used by a naval special operations component.



**HK45 COMPACT TACTICAL**

Choice of models with control lever functions. "Decock Only" model used by a component of the U.S. special operations forces.

10-round magazine with extended floorplate and sleeve is standard on the HK45 Compact Tactical.

**HK45 SERIES TACTICAL BARREL THREAD PITCH**  
.45 ACP 16 x 1 Left Hand

HK45 Tactical models come with high profile Tritium three-dot sights.



All HK pistols with threaded barrels come standard with thread protectors

**HK45 TACTICALS WITH THREADED BARRELS**  
For use with high quality sound suppressors, HK45 Tactical models have all the same features found on standard model HK45 pistols plus threaded O-ring barrels and tritium night sights.

HK45 frame has changeable backstraps for a custom fit

**HK45 TACTICAL**

The HK45 Tactical polymer frame uses an ergonomic grip and is completely corrosion resistant.



# P2000 & P2000 SK 9 MM X 19 / .40 S&W

Building on the foundation of the Heckler & Koch USP handgun line, the P2000 and P2000 SK (Subcompact) incorporate features of the successful HK USP Compact pistol with more recent innovations of HK engineers.

A refinement of a design created for several European police agencies, the P2000 and P2000 SK are available with a traditional double-action/single-action trigger mode and the LEM (Law Enforcement Modification) trigger system first introduced by HK in 2001 on the USP Compact "LEM" model.

The Law Enforcement Modification trigger system combines the advantages of a cocked striker component (constant level of trigger pull from first to last round fired) with a double-action hammer system.

Using such an enhanced trigger system consolidates ease of use and safety into a convenient, innovative trigger operation—one that reduces the chance of unintended firing.

And in case of an ammunition-related failure to fire, all that is needed is an additional second or third squeeze of the trigger without the need of first pulling the slide back to cock the pistol.

The enhanced Law Enforcement Modification trigger system combines the reliability of a double action revolver trigger with the crisp trigger of a single action pistol.

On variants using the conventional double-action/single-action (DA/SA) mode of operation, an easy to access, ambidextrous decocking button is mounted on the left, rear portion of the frame.

It allows the shooter to safely lower the hammer from the cocked single-action position to the uncocked double-action position. The DA/SA variants of the P2000 and P2000 SK are readily identifiable by the presence of the serrated decocking button and spurred hammer.

A set of simple-to-install modular grip inserts allow all P2000/P2000 SK models to be custom-fitted to any shooter's hand.

An ambidextrous magazine release and dual slide release levers make handling P2000 Series pistols natural and easy for right and left-handed shooters alike. The addition of "industry standard" mounting rails to the P2000 and P2000 SK allows the widest variety of lights, aimers, and accessories to be added by sliding them onto the open rail system. The P2000 uses widely available, reliable USP Compact metal magazines. The same magazines fit the P2000 SK for added firepower. Available in .40 S&W and 9 mm.

Polygonal bore profile for increased velocity and easier cleaning. Cold-hammered barrel ensures long service life and outstanding shooting accuracy.

Ambidextrous slide release (located on both sides of the frame)

Low profile slide and slimline, compact dimensions

Modular grip panels options include extra large, large, medium (standard), and small to fit all sizes of hands

Law Enforcement Modification (LEM) model has bobbed, spurless hammer

Industry standard mounting rails allows a wide selection of accessories to be installed (see inset photo below)

**P2000  
V2 LEM**

Trigger pull on LEM models is 7.3-8.5 pounds. Trigger pull can be adjusted by an HK armorer to the 5.5 pound range (light LEM).

Ambidextrous magazine release lever

## LAW ENFORCEMENT MODIFICATION (LEM) TRIGGER SYSTEM

Developed especially for a U.S. government agency, the Law Enforcement Modification (or LEM for short), is a unique trigger mechanism created specifically to improve the trigger performance and reduce the weight of the Double-Action Only (DAO) trigger pull in the P2000, P2000SK, P30, P30L, P30SK, USP, USP Compact, and HK45/HK45 Compact pistols. With this mechanism, HK pistols can be fired like a standard DAO semi-automatic pistol where every round is fired by simply pulling the trigger fully rearward with the hammer starting at the forward rest position. The design of the proprietary HK LEM system allows the weight of the DAO trigger pull to be reduced to a smooth and constant 7.5-8.5 pounds (standard LEM) because the two-part hammer is precocked every time the slide moves rearward. An even "lighter" LEM trigger is available on some HK pistol models.

Patented HK Lock-Out Safety device

Extended floorplate has a finger hook. The P2000 uses the same metal magazines as USP Compact.

Magazine capacity:  
.40 S&W = 12 rounds  
9 mm = 13 rounds  
(10 round magazines also available)



**Tactical light**  
Example of P2000 with mounted tactical light. Available as an accessory.

## GRIP PANELS

Exchangeable grip panels (back straps) accommodate a wide variety of hand sizes and shooting grips.



DA/SA models of the P2000 and P2000 SK have spurred hammers and serrated decocking buttons.

Large, robust extractor doubles as a loaded chamber indicator

Uses three dots sights first originated by Heckler & Koch on P7 pistols and now the industry standard. These robust sights are drift adjustable for windage; for elevation adjustable various height sight blades can be inserted.

No snag, bobbed hammer for effective concealment

"Variant 2" LEM (Law Enforcement Modification) enhanced double action trigger pull of 7.3 pounds. Also available in conventional double action/single action trigger mode with decocking button located on the back of the slide.

Exchangeable backstraps; P2000 SK comes with medium and large sizes

HK paddle-style ambidextrous slide release levers

P2000 SK V2 LEM

All P2000 and P2000 SK pistols have the HK patented Lock-Out Safety Device installed.

Together with the P30SK, the P2000SK are HK's smallest pistols. Available in full power .40 S&W and 9 mm x 19 chamberings, shown above with flat floorplate for optimal concealment.

P2000 SK can also use high capacity USP Compact magazines (shown with accessory "X-Grip" magazine sleeve).



P2000 has recurved trigger guard for grip support, P2000 SK has tapered trigger guard for maximum concealability.

P2000 V3 DA/SA



Choice of conventional DA/SA or LEM trigger mode on the P2000 and P2000 SK. Double action/single action variant of the P2000 and P2000 SK is readily identifiable by the presence of the serrated button and spurred hammer (left pistol, below). LEM (enhanced DAO) model appears on the right.



Three dot sights are standard on P2000 and P2000 SK models. Three dot sights were originally developed by HK in the 1970s and have proven their utility for quick target acquisition. Optional tritium sights are also available.

**HK PISTOLS PASS THE TOUGHEST TEST**

The P2000, P2000 SK, and the USP Compact LEM were subjected to the most punishing pistol evaluation to date by the Department of Homeland Security's Immigration and Customs Enforcement branch. The evaluation was performed with the most potent ammunition loads for three calibers (9 mm, .40 S&W and .357 SIG). After three million rounds were fired, HK finished ahead of five other competing manufacturers, earning a "Superior" technical rating. On August 20, 2004, HK was awarded the largest pistol contract in U.S. law enforcement history. Five months later, US Customs and Border Protection (CBP), the largest U.S. federal law enforcement agency, officially adopted the P2000 pistol in .40 S&W, replacing both legacy Glock 17s and Beretta 96Ds.



Ambidextrous slide release levers



P2000 SK V3 DA/SA

An abbreviated pair of industry standard mounting rails allow lights, aimers, and other accessories to be installed by sliding them onto the open rail system.

Metal magazine with extended rubber-padded floorplate. P2000 SK magazine capacities: .40 S&W and .357 (9-rounds), 9 mm (10-rounds)

# USP & USP COMPACT 9 MM X 19/.40 S&W/.45 ACP

The HK USP (Universal Self-loading Pistol) was the first Heckler & Koch pistol designed especially for American shooters. Features favored by the U.S. military, law enforcement agencies, and civilian users provided the design criteria for the USP. Its controls are uniquely American, influenced by such famous designs as the Model 1911 pistol.

The control lever, a combination safety and/or decocking lever, is frame mounted and quickly accessible, unlike the slide mounted safeties common on many semi-automatic pistols. Using a modified Browning-type action with a special patented recoil reduction system, the USP is built to take the punishment of the most powerful SAAMI specification loads. The recoil reduction system lessens recoil effects on pistol components and also lowers the recoil forces felt by the shooter. The USP recoil reduction system is insensitive to ammunition types and requires no special adjustment or maintenance. It functions effectively in all USP models.

By using a modular approach to the internal components, the control lever function of the USP can be switched from the left to the right side of the pistol for left-handed shooters. The USP can also be converted from one type of trigger firing mode to a variety of others. This includes combination double-action and single-action (DA/SA) modes with a manual safety and decocking function, double action only (DAO) modes, including the HK proprietary LEM (Law Enforcement Modification) enhanced trigger system, and even double action/single action modes with no manual safety, as well as single action modes. Such a modular system allows individual tailoring of safety and trigger mechanisms to suit any requirement and any shooter.

The USP is available in both full-size frame and compact models with nine trigger/firing mode configurations and three major calibers—.45 ACP, .40 S&W, and 9 mm. The first HK pistols covered by Heckler & Koch's Lifetime Warranty, USP and USP Compacts are truly universal pistols — simple to operate, easy to maintain, extremely reliable, and accurate.

Developed in parallel with the USP in the early 1990s, the HK Mark 23 was originally designed for the U.S. military's Special Operations Command. It has the unique distinction of being the only .45 ACP pistol to enter American military service since the venerable Model 1911A1.

Major metal components on the USP and USP Compact are protected from wear and corrosion by HK's special carbonitride Hostile Environment (HE) finish

Slide machined from high-strength carbonitrided steel.

All USP and USP Compacts have polygonal barrel profiles made by cold-hammer forging—ensuring increased barrel life and optimal accuracy.

A USP model was chosen by the Bundeswehr (German Army) as their P8 service pistol. The P8 variant uses a distinct safety and decocking arrangement and is currently not available in the USA.

Innovative HK-proprietary recoil systems developed and employed in the USP, USP Compact, and Mark 23 pistols.

USP V1  
9 MM

Three dot sights (originated by HK on P7 pistol models)

The control lever has a positive stop and automatically returns to the "fire" position after decocking. The control lever, featured on many variants of the USP and USP Compact, allows these pistols to be safely carried "cocked and locked."

HK proprietary mounting rails allow lights and aimers to be installed on the USP and USP Compact. An industry standard or Picatinny rail adaptor can also be installed to enable a larger selection of accessories to be used.

Reinforced polymer frame. HK pioneered the use of composite materials in production handguns more than thirty-five years ago with the development of the VP70Z and P9S pistols.

USP45 (.45 ACP) is slightly larger and heavier than .40 S&W and 9 mm USP models.

USP V1  
.45 ACP



USP9 TACTICAL



USP EXPERT 9 MM



USP45 TACTICAL

## SPECIALIZED USP MODELS

Specialized models of the USP include threaded barrel tactical variants and a long slide EXPERT model ideal for competitive shooting and precision handgun applications. All specialized models include a match grade trigger, match grade sights with elevation and windage adjustment, and an O-ring barrel for optimal barrel-to-slide lockup. The USP Tactical models include threaded barrels for mounting an optional sound suppressor. Accessory magazine jet funnels are also available for 9 mm and .40 S&W USP Tacticals and USP Expert models (shown on the USP Expert above).

### USP TACTICAL BARREL THREAD PITCH

9 mm = 13.5 x 1 Left Hand    .40 S&W = 14.5 x 1 Left Hand    .45 ACP = 16 x 1 Left Hand

**PISTOLS**



Extractor provides a visual indication of whether there is a round in the chamber.

**USP COMPACT  
V1 .40 S&W**

USP Compact has a recurved trigger guard, full-size USP has tapered trigger guard

Frame of high-strength glass fiber reinforced polymer. The grip size is also suitable for shooters with small or medium-sized hands.

Comparative size of USP Compact and full-size frame USP (grayed image)



Cold-hammered barrel with polygonal profile. Guarantees long service life and outstanding shooting accuracy.

HK proprietary mounting grooves allow a variety of accessories to be mounted to the pistol. Accessory adaptor also available.



**USP COMPACT  
V1 9 MM**

Ambidextrous magazine release can be operated using your thumb or index finger without changing the grip position.

Choice of flat or extended floorplate magazines

Polygonal barrel increases muzzle velocity and service life, while reducing bore fouling, and eases cleaning. An O-ring ensures optimal slide-to-barrel lockup for superior accuracy. Threaded barrel pitch = 16 x 1 Right Hand

One-piece machined steel slide protected by HK's proprietary Hostile Environment coating that prevents surface corrosion.

The frame mounted Mark 23 decocking lever is separate from the ambidextrous safety lever and allows the hammer to be lowered quietly and safely from the single action position.



Molded into the frame are special accessory grooves for attaching a light or laser aimer.

The USP-type mechanical recoil reduction system reduces recoil forces to the shooter and pistol components by as much as 30%.

**MARK 23  
.45 ACP**



During U.S. military testing, Mark 23 pistols met the most stringent operational and accuracy requirements ever demanded of a combat handgun. Endurance testing demonstrated a service life of over 30,000 rounds of +P ammunition.

**USP/USP COMPACT TRIGGER FIRING MODE AND SAFETY SYSTEMS CHARACTERISTICS (ALSO HK45 & HK45 COMPACT)**

Variants	Trigger system <sup>1</sup>	Trigger pull (pound-force/Newtons)		Trigger travel (mm approx.)		Control Lever/Safety <sup>4</sup>
		SA	DA	SA <sup>2</sup>	DA <sup>3</sup>	
V1	DA/SA	4.5/20	11.2/50	7	14	S, D (L)
V2	DA/SA	4.5/20	11.2/50	7	14	S, D (R)
V3	DA/SA	4.5/20	11.2/50	7	14	D (L)
V4	DA/SA	4.5/20	11.2/50	7	14	D (R)
V5	DAO	—	11.2/50	—	14	S (L)
V6	DAO	—	11.2/50	—	14	S (R)
V7	LEM (enhanced DAO)	—	8 / 36	—	14	—
V9	DA/SA	4.5/20	11.2/50	7	14	S (L)
V10	DA/SA	4.5/20	11.2/50	7	14	S (R)

<sup>1</sup> DA = Double Action, SA = Single Action, DAO = Double Action Only / <sup>2</sup> Single Action / <sup>3</sup> Double Action / <sup>4</sup> S = Safety, D = Decocking, (L) = Located on left, (R) = Located on right NOTE: Variant 8 is a U.S. government test variant and is essentially the same as V7.

# SP5K 9 MM X 19



**MP5K STYLING AND HK QUALITY**  
The semi-automatic SP5K captures the look and feel of the famous MP5K submachine gun.



**SP5K CARRYING SLING**  
The SP5K is equipped with an elastic “bungee” sling. The sling is easily installed on the receiver and makes firing the SP5K more stable and less fatiguing.

The new SP5K was developed by Heckler & Koch as a semi-automatic, civilian sporting pistol (hence the “SP” prefix) that matches the look and feel of the famous MP5K submachine gun.

The SP5K is designed and manufactured to meet the definition of a civilian pistol and marks the return of the roller delayed blowback system to an HK commercial product. This operating system is legendary in its accuracy and reliability. Originally developed on the Heckler & Koch G3 rifle, it has been used on several HK firearms.

The SP5K retains many of the critical features of the MP5, including its precision machined components and attention-to-detail quality. The SP5K is manufactured completely in Heckler &

Koch’s Oberndorf factory in southwest Germany.

The SP5K is a safe, robust, ergonomic large frame handgun. For more comfortable shooting, the SP5K is equipped with an elastic “bungee” sling. The sling is easily installed by snapping it onto the sling swivel hardware located on the rear of the receiver. Using the sling makes firing the SP5K more stable and reduces fatigue.

The overall length of the SP5K is approximately 14 inches — slightly longer than an MP5K — due to its unique handguard. The SP5K handguard is designed with special ergonomic and safety features to protect the shooter’s hand and provide a comfortable and stable grip.

Despite its size, the SP5K is well-suited for sporting use. Using the proven roller delayed blowback system; the SP5K’s inherent accuracy makes it an excellent choice for target shooting and an ideal home security arm.

And a wide variety of accessories can be added to increase its functionality. A Picatinny rail scope mount is attached to the upper receiver and allows for optional sights to be easily mounted.

Covered by Heckler & Koch’s limited lifetime warranty, the HK SP5K is a faithful rendering of the iconic MP5K as a semi-automatic pistol.





**MP5K TYPE SIGHTS**  
The SP5K is equipped with the same adjustable sighting system used on the selective fire MP5K.



**INTEGRAL SCOPE MOUNT**  
A Picatinny rail scope mount is included for the easy mounting of optics and accessories.



**SPARE MAGAZINES**  
30-round, 15-round, and compact 10-round magazine



**WATER RESISTANT AND DURABLE CASE**

The SP5K comes ready for action in its own hard shell case – manufactured to meet or exceed law enforcement, military, and air transport standards. The SP5K Hard Case has a custom cutout to fit the pistol, sight tool, extra magazine, and accessories.



**DELAYED ROLLER BLOWBACK SYSTEM**

The SP5K uses the same recoil operated, roller delayed blowback system found on all MP5 models – famous for its reliability, accuracy, and safe functioning. Reports from MP5 users have some variants firing ten of thousands of rounds without any critical failures.



**UNCOMPLICATED MODULARITY**

Like the MP5K, the SP5K fieldstrips into six basic assembly groups with the removal of a locking pins – making cleaning and maintenance quick and uncomplicated.



# MR556A1 5.56 MM X 45 NATO



Like the HK416, the MR556A1 matches the performance and durability of its famous selective fire counterpart and is proven in all conditions... sand, mud, snow, and water.



5.56 mm chamber handles the widest variety of 5.56 x 45 mm and Caliber .223 Remington cartridges

Shown with the ergonomic profile MRS (Modular Rail System) handguard. MR Series rifles can use either the same Free Floating Rail System as the HK416/417 or the MRS. Both ensure the barrel does not come in contact with the handguard and accuracy is unaffected by accessories mounted on the rails. Even after the these handguard are removed and reinstalled, no re-zeroing of sights is required.

The HK-proprietary gas piston operating system prevents propellant gases and carbon fouling from entering into the receiver area, increasing the reliability of the rifle. The same identical operating system is used on the selective fire HK416 and HK417.



Cutaway view of MR556A1/HK416 operating system. Like the HK416, a piston driven operating system is the key to the reliability of the MR556A1.

For precision shooting, the six positon, adjustable MR buttstock can be tightend and locked in place using an HK supplied tool. The HK adjustable buttstock has a storage compartment for extra batteries and other mission essential gear.

Equipped with rugged, adjustable TROY micro sights.



16.5 inch cold hammer forged barrel made of unlined cannon grade steel.

"HK416 geometry" magazine well for reliable function —works with a variety of magazines including aluminum U.S. MIL-SPEC and polymer EMAGs.

HK proprietary "keyhole" attachment system for accessory Picatinny rails keeps weight down

**MR556A1**  
**5.56 MM**

10, 20, and 30-round steel HK magazines available. A lightweight 30-round HK polymer magazine is also available.

HK large palm swell target grip with storage compartment for optimum shooting. Other accessory HK pistol grips available for custom fit. MR rifles can also accommodate standard grips made for M16/M4/AR15 type rifles.

Amidextrous safety/selector lever. Unlike other AR-style rifles, HK MRs can be placed on "SAFE" even when the rifle is uncocked.

**MADE IN USA**

MR Series rifles are assembled in the USA of German and American made components.



The MR556A1 uses a wide assortment of accessories that fit the HK416 and other AR-type arms, including grips, buttstocks, sights, and magazines. To purchase HK accessories, visit [www.hk-usa.com](http://www.hk-usa.com).

A direct descendant of the HK416, the MR556A1 is a semi-automatic rifle developed by Heckler & Koch as a premium level commercial/civilian firearm with match rifle capability. Like the selective fire HK416 and M27 IAR, the MR556A1 is a major product improvement over conventional AR-type rifles.

The MR556A1 uses the HK proprietary gas piston operating system, employing a piston and a solid operating "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms.

This method of operation virtually eliminates malfunctions that are common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. This is the same key feature critical to the success of the HK416 rifles used by leading military and law enforcement customers.

The MR556A1 is assembled in the USA using American and German made components and uses many of the same assemblies and accessories originally developed for the HK416.

Used with the either the HK Modular Rail System (MRS) or the Free Floating Rail System (FFRS), the barrel does not touch the handguard, ensuring the barrel/handguard relationship is truly free-floating for maximum accuracy. The MRS handguard was added in 2015 and has many of the features found on the FFRS but with a more ergonomic design.

The HK Free Floating Rail System (FFRS) handguard has four MIL-STD-1913 Picatinny rails and allows all current accessories, sights, lights, and aimers used on M4/M16-type arms to be fitted to the MR Series. Both HK rail system handguards can be installed and removed with simple tools and return to zero when reinstalled.

The MR556A1 also has a Picatinny rail machined into the top of its upper receiver for mounting optics and mechanical sights. Unlike earlier prototypes, major subassemblies, including the MR556A1 upper receiver/barrel assembly, are fully interchangeable with other high quality AR-style firearms. MR556A1 upper receiver kits can be used to retrofit competing legacy AR systems.

Like the famous HK416, the MR556A1 uses a German-made barrel produced by Heckler & Koch's famous cold hammer forging process. The highest quality steel is used in this unique manufacturing process producing a barrel that provides superior accuracy and long service life.

But unlike the HK416, the MR556A1 does not use a chrome-lined barrel. Chrome-lining can sometimes mask bore imperfections and negatively affect accuracy. For the new series of Heckler & Koch semi-automatic MR rifles, HK designers and engineers believe best accuracy comes with an unlined bore.

The unchromed barrel has an internal profile of 6 lands and grooves with

a 1 in 7 inch (178 mm) twist. It is also moderately "swagged" with a slightly smaller internal diameter at the muzzle end than the chamber end. This feature has a positive effect on bullet accuracy and velocity. The thick, heavy contour 16.5-inch MR556A1 barrel also contributes to its excellent accuracy.

A precise, enhanced two-stage trigger adds significantly to the accuracy of the MR556A1 and an extended latch charging handle makes operating the rifle with a telescopic sight easier. The retractable buttstock can be locked into a solid, non-moving position by tightening an Allen screw in the bottom of the stock. Special target rifle takedown pins ensure the upper and lower receivers are firmly mated for accurate performance.

Designed to function with a wide variety of high quality 5.56 x 45 mm ammunition, the MR556A1 uses a C.I.P. dimensioned chamber (a chamber with dimensions specified by the Commission Internationale Permanente). The MR556A1 also functions reliably with most quality Caliber .223 Rem. ammunition.

The MR556A1 is being produced with the same commitment to quality as German-made HK firearms. By using joint U.S./German manufacturing, Heckler & Koch leverages the relative strengths of two continents to make the preeminent AR-type firearm, combining the designs innovations of the USA and Germany into one product.

# MR556A1

COMPETITION MODEL 5.56 MM X 45 NATO

## SEMI-AUTOMATIC RIFLES & CARBINES

Using the HK MR556A1 as the platform to build a competitive rifle — and with input from many competitive shooters — the Heckler & Koch Competition Model was developed for both casual shooters and the most demanding competitor. Ideal for 3 gun matches — the Competition Model adds the most critical fundamental enhancements to the standard MR rifle.

Foremost among these additions are the new 14-inch Modular Rail System (MRS). Lightweight and easy to customize, the MRS allows sections of accessory rails to be added by the shooter where desired, but keeping weight down and presenting a more ergonomic and comfortable handguard surface when compared to rectangular full rail systems.

The extended length 14-inch MRS does not touch the barrel, preserving the “free-floating” barrel-to-handguard feature favored by competitive shooters and present in all MR rifles. An extended magazine release is also

included for quick magazine changes.

An innovative compensator by Operator Suppressor Systems Inc. (OSS) replaces the standard MR flash hider. OSS is a leader in the development and manufacturing of sound and flash suppression and uses technologies originated in those fields to create a unique and highly effective compensator.

The standard MR stock is replaced by a MAGPUL CTR buttstock; easy to adjust, the CTR stock moves smoothly on the receiver extension and locks securely in position. Profile and weight make this buttstock ideal for competitive shooters.

All other standard features of the MR556A1 are retained on the MR556A1 Competition model — including a German-made long service barrel produced by Heckler & Koch’s famous cold hammer forging technology and

HK’s famous piston operating system.

Found on HK arms like the G36, HK416 and the M27 IAR, this system uses a gas piston and pusher rod in place of the more common hollow gas tube normally employed in “direct impingement” AR-style rifles.

The HK system improves reliability and reduces operator cleaning and maintenance as literally no carbon fouling or propellant gases are directed back into the weapon beyond the gas cylinder located above the barrel.

The Competition model is being produced in the USA, using joint U.S./ German manufacturing capabilities and components — combining the design innovations of the USA and Germany into a superior product.

And it’s covered by the Heckler & Koch Lifetime Warranty.



**IDEAL COMPETITION RIFLE** blends the HK MR556A1’s legendary reliability and accuracy with the improved ergonomics of a rounded contour long handguard, adjustable MAGPUL buttstock, high performance OSS compensator, and enlarged magazine release.



# MR762A1

7.62 MM X 51 NATO

Like its 5.56 mm counterpart, the MR762A1 is a direct descendant of the HK416/417 series, only in a semi-automatic rifle configuration developed for civilian users.

Using the HK-proprietary operating system, the MR762A1 is gas operated and uses a piston and a solid operating “pusher” rod in place of the common gas tube normally employed in AR15/M16/M4-style weapons.

Pioneered by Heckler & Koch in the G36, HK416, and HK417; this method virtually eliminates malfunctions common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. The MR762A1 stays cleaner, reducing heat transfer to the bolt and bolt carrier, and drastically reducing wear and tear on other critical components. The service

life of all parts is increased substantially.

The MR762A1 uses a barrel produced by Heckler & Koch’s famous cold hammer forging process. This manufacturing process uses the highest quality steel, producing a barrel that ensures superior accuracy, even after firing thousands of rounds. The MR762A1 is produced at Heckler & Koch’s American manufacturing facilities from both American and German-made components.

The MR762A1 uses many of the assemblies and accessories originally developed for the HK416/417 series including adjustable buttstocks, ergonomic pistol grips, mechanical sights, and handguards. All of the HK handguards are free-floating with MIL-STD-1913 “Picatinny” type rail capabilities allowing

accessories, sights, lights, and aimers used on M4/M16-type weapons to be fitted to the MR series. HK rail systems can be removed without special tools by the user and ensure 100% return to zero when reinstalled.

Ambidextrous operating controls are standard on the MR762A1, including a convertible charging handle and an ambidextrous selector lever. The MR762A1 uses the same 10- and 20-round translucent polymer box magazines made for the HK417; a 5-round magazine is also under development.

MR762A1 rifles are well-suited for a variety of applications including law enforcement tactical, police patrol, and general sport shooting. For hunting use, low capacity magazines are available.



An enhanced version of the MR762A1 was adopted as the U.S. Army’s Compact Semi-automatic Sniper System (CSASS) in 2016.

Troy Micro sights

HK large palm swell target grip with storage compartment for optimum shooting. Other AR accessory pistol grips can also be fitted.

Screws for securing the HK Modular Rail System handguard

HK-proprietary gas piston operating system prevents propellant gases and carbon fouling from entering into the receiver area, increasing the reliability of the rifle. The same identical operating system is used on the selective fire HK416 and HK417.

16.5 inch German-made cold hammer forged barrel ensures long service life

Essentially semi-automatic versions of the HK416/417 Series, the MR762A1 and MR556A1s are excellent choices as law enforcement patrol carbines.

**MR762A1**  
7.62 MM

All HK MR Series rifles have ambidextrous selector levers and can be placed on “SAFE” even when uncocked.



MR762A1 sales configuration

Modular Rail System (MRS) handguard is free floating and allows Picatinny rail segments to be easily installed to its proprietary keyhole design. HK417 Free Floating Rail System (FFRS) handguard is available as an accessory.

10- and 20-round high strength polymer magazines available (10-round shown)

The HK adjustable buttstock has can locked into optimal position for precision shooting and also has a storage compartment for extra batteries and other mission essential gear



# MR762A1 LRP II (LONG RIFLE PACKAGE II) 7.62 MM X 51 NATO

## SEMI-AUTOMATIC RIFLES & CARBINES

**MADE IN USA**



**MR762A1  
LRP II**



The LRP includes a 20- and 10-round magazine — the same rugged magazines used on HK's current series of military and law enforcement 7.62 mm rifles and carbines



The Long Rifle Package (LRP) comes ready-to-use in a Pelican Model 1720 case with critical accessories.

MR762A1 Long Rifle Package (LRP) is a standard MR762A1 rifle with the addition of essential precision marksman accessories. An enhanced version of the MR762A1 was adopted as the U.S. Army's Compact Semi-automatic Sniper System (CSASS) in 2016.

Taking an essentially standard MR762A1 (caliber 7.62 x 51 mm NATO) semi-automatic rifle, Heckler & Koch turns it into a more effective precision rifle by an astute addition of the right optics and accessories. This "MOD 2" variant adds a streamlined handguard and HK pistol grip for greater functionality.

A Leupold 3-9 x 40 mm VX-R Patrol scope and mount, HK G28 adjustable cheekpiece buttstock, and LaRue Tactical BRM-S bipod are the primary add-ons that make the MR762A1 Long Rifle Package (LRP) more than a sum of its parts.

A semi-automatic rifle originally developed from the fully automatic HK417, the MR762A1 LRP employs the same HK proprietary gas piston operating system found on current HK rifles and carbines, using a "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms.

This method of operation virtually eliminates malfunctions that are common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. This is the same key feature critical to the success of the current generation of HK rifles used by leading military and law enforcement customers.

The MR762A1 LRP uses a barrel produced by Heckler & Koch's famous cold hammer forging process. The highest quality steel is used in this manufacturing method, producing a long-life barrel that provides superior performance with minimal degradation of accuracy and muzzle velocity after prolonged use. The barrels are manufactured in Germany and finished in the USA.

The MR762A1 used in the "Long Rifle Package" is being produced with the same commitment to quality as German-made

HK firearms. By using joint American and German manufacturing, Heckler & Koch leverages the relative strengths of two continents to make the preeminent AR-type firearms, combining the design innovations of the USA and Germany into superior products.

Additional accessories in the Long Rifle Package include an OTIS cleaning kit, HK multi-tool, and the same Blue Force Gear sling used on the HK M27 IAR supplied to the USMC.

The rifle package, complete with one 20 and one 10-round magazine is shipped ready to use with the scope attached in a compact 42-inch Model 1720 Pelican case.

The MR762A1 LRP has all the features sought by civilian precision shooters as well as law enforcement organizations seeking a more basic and lighter weight alternative to the HK G28 series of precision rifles.

## MR556A1 Upper Receiver Kit

The MR556A1 Upper Receiver Kit includes a complete upper receiver/ barrel assembly, bolt carrier assembly, buffer, and buffer spring allowing most high-quality 5.56 mm AR-style rifles to be retrofitted to HK's pusher rod system. The Upper Receiver Kit is the core of the HK 5.56 mm proprietary gas piston operating system. It employs a piston and a solid operating "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms.

The MR556A1 Upper Receiver Kit is designed to be fully interchangeable with all high quality AR-style firearms, simply by attaching it to an AR lower receiver using the standard takedown pins. Due to the shortened length of the HK buffer and HK (action) buffer spring, these parts do not work in

fixed stock AR-type rifles. The HK piston driven operating system virtually eliminates malfunctions that are common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area.

Designed to function with a wide variety of high quality 5.56 x 45 mm ammunition, the MR556A1 Upper Receiver Kit uses a C.I.P. dimensioned chamber (a chamber with dimensions specified by the Commission Internationale Permanente). The MR556A1 also functions reliably with most high quality Caliber .223 Remington ammunition.

The MR556A1 Upper Receiver Kit is manufactured in the USA using

American and German made components. The Upper Receiver Kit uses a German-made barrel produced by Heckler & Koch's famous cold hammer forging technology. The highest quality steel is used in this unique manufacturing process producing a barrel that provides superior accuracy and long service life.

The unchromed 16.5-inch barrel has an internal profile of 6 lands and grooves with a 1 in 7 inch (178 mm) twist. It is also moderately "swagged" with a slightly smaller internal diameter at the muzzle end than the chamber end. This feature has a positive effect on bullet accuracy and velocity. A thick, heavy contour also contributes to its excellent accuracy.



The MR556A1 Upper Receiver Kit is classified as a part and can be purchased without a Federal Firearms License (FFL)

Shown without sights. The Modular Rail System handguard has a "Picatinny rail" top and together with the HK upper receiver can accommodate virtually all front and rear sights.

Exact same gas block, piston, operating rod, and operating spring as used on the famous HK416

Extended convertible HK charging handle

HK's proprietary action spring and tungsten-filled HK buffer should be used to ensure reliable functioning.

Installation of MIL-SPEC hammers in non-HK lower receivers are required for reliable function.

The HK MRS handguard can be installed and removed with simple tools and returns to zero when reinstalled.

The Upper Receiver Kit also includes the HK Modular Rail System (MRS), a keymod type handguard supplied with two movable MIL-STD-1913 "Picatinny" rail segments. This premium machined alloy handguard allows all current accessories, sights, lights, and aimers used on M4/M16-type arms to be fitted.

Thick, swagged unlined barrel for optimal semi-automatic accuracy and robust durability

**MADE IN USA**

MR556A1 Upper Receiver Kit (fits most high quality 5.56 mm AR rifles with retractable buttstocks)

HK MR556 Upper kit includes:

- 1 Complete MR556 Upper Receiver/Barrel Assembly— HK 16.5 inch cold-hammer forged barrel, upper receiver with forward assist, extended convertible charging handle, HK Modular Rail System (MRS) handguard
- 2 Complete MR556 Bolt Group Assembly
- 3 HK Proprietary Buffer
- 4 HK Proprietary Buffer (Action) Spring

## Product Specifications

HANDGUN MODEL	CALIBER	MAGAZINE CAPACITY	MODES OF FIRE	SIGHTS	GRIPS/STOCKS	WIDTH (APPROX.)	HEIGHT (APPROX.)	WEIGHT WITH EMPTY MAGAZINE	SIGHT RADIUS (APPROX.)	BARREL LENGTH	OVERALL LENGTH	
VP9	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.41 in / 137.5 mm	26.56 oz / 753 g	6.38 in / 162 mm	4.09 in / 104 mm	7.34 in / 186.5 mm	
VP40	.40 S&W	13/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.45 in / 138.5 mm	28.93 oz / 820 g	6.38 in / 162 mm	4.09 in / 104 mm	7.34 in / 186.5 mm	
VP9 Tactical	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.41 in / 137.5 mm	30.20 oz / 855 g	6.38 in / 162 mm	4.70 in / 119 mm	7.95 in / 202 mm	
VP40 Tactical	.40 S&W	13/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.45 in / 138.5 mm	32.60 oz / 923 g	6.38 in / 162 mm	4.70 in / 119 mm	7.95 in / 202 mm	
VP9SK	9 mm x 19	10/13/15	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	4.57 in / 116 mm	36.40 oz / 747 g	5.73 in / 145.5 mm	3.39 in / 86 mm	6.61 in / 168 mm	
P30	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	
P30	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	
P30S	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	
P30S	.40 S&W	13/10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	
P30L	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	
P30L	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	
P30LS	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	
P30LS	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	
P30SK	9 mm x 19	10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	4.57 in / 116 mm	23.99 oz / 680 g	5.35 in / 136 mm	3.27 in / 83 mm	6.42 in / 163 mm	
P30SKS	9 mm x 19	10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	4.57 in / 116 mm	23.99 oz / 680 g	5.35 in / 136 mm	3.27 in / 83 mm	6.42 in / 163 mm	
HK45	.45 ACP	10	semi	3-dot	adj. backstrap	1.54 in / 39 mm	5.91 in / 150 mm	31.20 oz / 880 g	6.63 in / 168.5 mm	4.46 in / 113.5 mm	8.03 in / 204 mm	
HK45 Tactical	.45 ACP	10	semi	3-dot	adj. backstrap	1.54 in / 39 mm	5.91 in / 150 mm	31.20 oz / 880 g	6.63 in / 168.5 mm	5.20 in / 132 mm	8.50 in / 216 mm	
HK45 Compact	.45 ACP	8/10	semi	3-dot	adj. backstrap	1.54 in / 39 mm	5.51 in / 140 mm	28.48 oz / 810 g	6.00 in / 152.5 mm	3.90 in / 99 mm	7.24 in / 184 mm	
HK45 Compact Tactical	.45 ACP	8/10	semi	3-dot	adj. backstrap	1.14 in / 29 mm	5.51 in / 140 mm	29.12 oz / 830 g	6.00 in / 152.5 mm	4.57 in / 116 mm	7.91 in / 201 mm	
P2000	9 mm x 19	13/10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	5.07 in / 129 mm	24.96 oz / 710 g	5.55 in / 141 mm	3.66 in / 93 mm	6.85 in / 174 mm	
P2000	.40 S&W	12/10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	5.07 in / 129 mm	24.96 oz / 710 g	5.55 in / 141 mm	3.66 in / 93 mm	6.85 in / 174 mm	
P2000SK	9 mm x 19	10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	4.55 in / 115.5 mm	24.00 oz / 680 g	5.18 in / 131.5 mm	3.26 in / 83 mm	6.40 in / 162.5 mm	
P2000SK	.40 S&W	9	semi	3-dot	adj. backstrap	1.27 in / 34 mm	4.55 in / 115.5 mm	24.00 oz / 680 g	5.18 in / 131.5 mm	3.26 in / 83 mm	6.40 in / 162.5 mm	
USP9	9 mm x 19	15/10	semi	3-dot	fixed	1.26 in / 32 mm	5.31 in / 135 mm	27.20 oz / 770 g	6.22 in / 158 mm	4.25 in / 108 mm	7.68 in / 195 mm	
USP40	.40 S&W	13/10	semi	3-dot	fixed	1.26 in / 32 mm	5.31 in / 135 mm	28.96 oz / 820 g	6.22 in / 158 mm	4.25 in / 108 mm	7.68 in / 195 mm	
USP45	.45 ACP	12/10	semi	3-dot	fixed	1.26 in / 32 mm	5.61 in / 142.5 mm	34.88 oz / 990 g	6.34 in / 161 mm	4.41 in / 112 mm	7.91 in / 201 mm	
USP9 Compact	9 mm x 19	13/10	semi	3-dot	fixed	1.38 in / 35 mm	5.00 in / 127 mm	25.76 oz / 730 g	5.31 in / 135 mm	3.58 in / 91 mm	6.81 in / 173 mm	
USP40 Compact	.40 S&W	12/10	semi	3-dot	fixed	1.38 in / 35 mm	5.00 in / 127 mm	27.52 oz / 780 g	5.31 in / 135 mm	3.58 in / 91 mm	6.81 in / 173 mm	
USP45 Compact	.45 ACP	8	semi	3-dot	fixed	1.38 in / 35 mm	5.04 in / 128 mm	28.16 oz / 800 g	5.63 in / 143 mm	3.78 in / 96 mm	7.09 in / 180 mm	
USP9 Tactical	9 mm x 19	15/10	semi	Target	fixed	1.26 in / 32 mm	5.50 in / 140 mm	28.16 oz / 800 g	6.57 in / 167 mm	4.86 in / 123.5 mm	8.40 in / 218 mm	
USP45 Tactical	.45 ACP	12/10	semi	Target	fixed	1.26 in / 32 mm	5.90 in / 150 mm	32.80 oz / 1020 g	6.73 in / 171 mm	5.09 in / 129 mm	8.64 in / 218 mm	
USP9 Expert	9 mm x 19	15/18	semi	Target	fixed	1.73 in / 44 mm	5.86 in / 149 mm	33.60 oz / 960 g	7.48 in / 190 mm	5.19 in / 132 mm	8.70 in / 221 mm	
MARK 23	.45 ACP	-	12	semi	3-dot	fixed	1.53 in / 39 mm	5.90 in / 150 mm	39.36 oz / 1120 g	7.76 in / 195 mm	5.87 in / 149 mm	9.65 in / 245 mm
SP5K	9 mm x 19	-	10/15/30	semi	diopter	fixed	2.40 in / 61 mm	8.66 in / 220 mm	5.04 lb / 2.29 kg	10.2 in / 260 mm	4.53 in / 115 mm	13.9 in / 354 mm

### SEMI-AUTOMATIC RIFLE MODEL

MR556A1	5.56 mm x 45	-	10/20/30	semi	adjustable TROY micro set	Retractable	3.07 in / 78 mm	9.45 in / 240 mm	9.10 lb / 4.13 kg	14.60 in / 371 mm	16.50 in / 420 mm	33.90–37.68 in / 861–957 mm
MR556A1 Competition Model	5.56 mm x 45	-	10/20/30	semi	—	Retractable MAGPUL CTR	3.07 in / 78 mm	9.45 in / 240 mm	8.78 lb / 3.98 kg	N/A	16.50 in / 420 mm	37.75–41.00 in / 959–1041 mm
MR762A1	7.62 mm x 51	-	10/20	semi	adjustable TROY micro set	Retractable	3.23 in / 82 mm	8.36 in / 213 mm	9.84 lb / 4.48 kg	16.14 in / 410 mm	16.50 in / 420 mm	35.94–39.10 in / 913–993 mm
MR762A1 Long Rifle Package LRP II	7.62 mm x 51	-	10/20	semi	Optical (Leupold 3-9x40 mm)	Retractable G28	3.23 in / 82 mm	8.36 in / 213 mm / 10.75 in / 273 mm <sup>1</sup>	10.58 lb / 4.80 kg / 13.46 lb / 6.11 kg <sup>1</sup>	N/A	16.50 in / 420 mm	35.94–39.10 in / 913–993 mm

<sup>1</sup>MR762A1 LRP rifle with mounted scope

specifications updated 12132016

While every attempt has been made to ensure that the technical specifications and information contained within this catalog is accurate and up-to-date, errors or omissions sometimes occur.

#### HK LIFETIME WARRANTY

All HK firearms sold commercially in the USA are covered by a Limited Lifetime Warranty for the original owner— one of the most comprehensive guarantees in the industry.

Firearms purchased by the military or law enforcement are covered by a One Year Limited Warranty against material defects and workmanship. Warranty repair or replacement is conducted at the discretion of Heckler & Koch.

#### FIREARMS SAFETY

Read and follow all safety information in the operator's manuals. Store all firearms in a safe and secure location. Keep firearms away from children. Always be a safe operator.

NOTE: Not all Heckler & Koch products are available to commercial/civilian customers. Some products are limited to military and law enforcement users only.



#### OUR HISTORY AND MISSION

For over half a century, Heckler & Koch has been a leading designer and manufacturer of small arms and light weapons for law enforcement and military forces worldwide. HK is also the maker of premier brand firearms for the sporting and commercial markets. Its reputation for quality, innovation, and safety make Heckler & Koch a recognized leader in the development of technologically advanced products. And the long-term durability of all HK products make them especially cost-effective when subjected to total life cycle cost analysis.

As a major international force, Heckler & Koch has a vision that is simple yet demanding — “To be the world’s premier small arms systems company.”


With operations in Germany, the United Kingdom, France, and the United States, we continue to meet the ever-evolving needs and requirements of our customers. A major supplier of small arms to several NATO countries, Heckler and Koch is a worldwide leader in market positions for nearly all of its major product categories.

The foundation for everything we do is an unwavering commitment to excellence. This is accomplished through technological leadership, in depth product research and development, responsible marketing, and strategies that create and shape markets. We consider it a fundamental obligation to deliver the best possible products to our customers. The words “No Compromise” are more than a motto, they are the core of our corporate philosophy.

## WHERE TO BUY

To put an HK firearm in your hands, visit an authorized Heckler & Koch dealer.

For the location nearest you, go to the **DEALER LOCATOR** at [www.HK-USA.com](http://www.HK-USA.com) or call **706-568-1906.**



#### New HK USA factory now open

Heckler & Koch has consolidated all existing American manufacturing in a new 55,000 square foot production facility in Columbus, Georgia.



Visit the new HK webshop at: [www.us.hkwebshop.com](http://www.us.hkwebshop.com) for the latest in Heckler & Koch parts, accessories, apparel, and branded products.

An affiliate of Heckler & Koch GmbH of Oberndorf, Germany; Heckler & Koch USA currently has two American locations. HK Columbus (Georgia) is the primary location for manufacturing, distribution, administration, sales, customer support, and repair services for the U.S. commercial (civilian) market and law enforcement community. For more information contact:

#### HECKLER & KOCH USA

5675 Transport Boulevard  
Columbus, GA 31907 USA  
Tel: (706) 568-1906 • Fax: (706) 568-9151  
Email: [cs@heckler-koch-us.com](mailto:cs@heckler-koch-us.com)  
USA website: [www.hk-usa.com](http://www.hk-usa.com)

HK Ashburn (Virginia) serves the U.S. military and federal law enforcement community with logistical support and acts as an administrative/sales support activity. HK Ashburn is also the center for armorers and specialized training on Heckler & Koch arms conducted by HK Training & Technical Services. For more information contact:

#### HECKLER & KOCH USA

19980 Highland Vista Drive, Suite 190  
Ashburn, VA 20147 USA  
Tel: (703) 450-1900 • Fax: (703) 450-8160  
Email: [info@heckler-koch-us.com](mailto:info@heckler-koch-us.com)  
USA website: [www.hk-usa.com](http://www.hk-usa.com)

For information on Heckler & Koch military, law enforcement, and commercial products outside of the United States contact:

#### HECKLER & KOCH GMBH

Postfach 1329  
D-78722 Oberndorf Germany  
Tel +49 7423/79-0 • Fax +49 7423/79-24 97  
Email: [hkinfoboard@heckler-koch.de](mailto:hkinfoboard@heckler-koch.de)  
Global Website: [www.heckler-koch.com](http://www.heckler-koch.com)